

THE CALIFORNIA VETERINARIAN



THE CALIFORNIA STATE
VETERINARY MEDICAL
ASSOCIATION

MID-WINTER CONVENTION

JANUARY 25, 26, 27, 1954
DAVIS, CALIFORNIA

SEPTEMBER - OCTOBER
1953



DOCTOR, PLEASE!

Calo endeavors to safeguard its long and favorable relationship with the Veterinary Profession; treasuring many friendships that were born over a quarter of a century ago.

Calo neither manufactures nor recommends any type of remedy for pets, knowing that this field is well covered by trained Veterinary Specialists.

Calo does, however, continually strive to improve the content of its foods and asks that you examine and compare them for honest-to-goodness quality that you CAN SAFELY prescribe.

Sincerely,

Calo Dog Food Co., Inc.



The 2 familiar packages shown above are distributed to the nation by thousands of grocers and pet food stores, coast-to-coast. Calo is a quality product, as its carefully compounded formula will reveal. Calo aspires to be a product worthy of your consideration. Special literature is available upon request.

CALO

DOG AND CAT FOOD

Calo Dog Food Co., Inc.

1530 E. 12th St., Oakland 6, California • Factories: Oakland, California • West Hanover Massachusetts • Sales Offices: Oakland • San Francisco • Los Angeles • New York

CALO FORMULA

Activated Animal Sterols, Fish Liver Oils, and Wheat Germ enrich this product with vitamins A-D and members of the B group

Guaranteed Analysis by Method Association of Official Agricultural Chemists

DRY MATTER	• A MINIMUM 27%
PROTEIN	• A MINIMUM 10%
FAT	• A MINIMUM 2%
ASH	• A MAXIMUM 5%
CALCIUM	• A MAXIMUM 4.5%
PHOSPHORUS	• A MINIMUM 0.25%
SALT	• A MAXIMUM 0.30%
CRUDE FIBRE	• A MAXIMUM 1%
MOISTURE	• A MAXIMUM 73%



For Demodectic, Sarcoptic and Psoroptic Mange in Dogs

And Ear Mites in All Animals

NORDEN *CANOLENE (Improved)*



More veterinarians every day are finding that Norden's CANOLENE IMPROVED is a truly superior product. You'll discover why with your first order. Non-irritating Canolene is effective and really easy to use. It's efficient, easily applied, and non-staining. Easily washed off because it's water miscible. Hospitalization often is not necessary.

CANOLENE IMPROVED contains lindane for its action against sarcoptic and psoroptic mange mites and rotenone (pure) for effectiveness against the demodectic mange mite. A special base penetrates dried exudate and scabs and soothes and softens the skin.
In Pints and Gallons

Odorless • Non-Staining • Non-Irritating



NORDEN LABORATORIES

Lincoln

Nebraska

broader activity . . .

against pinkeye and mixed
bacterial infections



Highly active against gram negative and gram positive organisms even in the presence of exudates. KERA-SPRAY, in a convenient, easy-to-use plastic insufflator, is indicated as a treatment for pinkeye, vaginitis, infected ears, following castration and dehorning or for topical application to wounds.




Each 14-Gm. insufflator contains:
Neomycin Sulfate, 0.25 %
Phenylmercuric Nitrate, 0.005 %
Sulfanilamide, 89.25 %
Sulfisoxazole, 10.0 %
Tetracaine Hydrochloride, 0.5 %

Keraspray

In 14-Gm. Insufflator

massengill

VETERINARY DIVISION BRISTOL, TENNESSEE



Protect them from white scours with

BOVIMIDE®

TRIPLE SULFONAMIDE SUSPENSION WITH KAOLIN

ACTIONS AND USES: Controls enteric bacterial infection by potent local bacteriostatic action of Sulfathalidine®. Sulfamerazine and sulfamethazine have systemic as well as local antibacterial action in the bowel. BOVIMIDE checks diarrhea rapidly, gives a protective coating to the intestinal wall by the hydrophilic, demulcent and adsorbent actions of kaolin.


Indications: Calf scours; prophylactically in newborn and therapeutically in young calves.

Diarrheal enteritis in sheep and dogs. Enteric pneumonia syndrome in swine.

DOSAGE: Orally, 2 cc. daily per pound of body weight for 3 to 5 days.

SUPPLIED: In bottles of 16 fluid ounces. Each 100 cc. contains: Sulfathalidine (phthalylsulfathiazole) 6.8 Gm., sulfamerazine 0.6 Gm., sulfamethazine 0.6 Gm., kaolin 10.0 Gm., and alcohol 5%. Sharp & Dohme, Veterinary Department.

peritonitis



Infectious organisms usually invade the peritoneal cavity from one of several sources: the intestinal tract, the urogenital tract, through accidental introduction from outside during surgery. The versatility of Terramycin makes it the product of choice in combating such an invasion, which may otherwise proceed rapidly to a fatal termination.

Successful therapy of peritonitis requires the rapidity of action, the broad spectrum of effectiveness and the convenience of administration offered by the veterinary dosage forms of Terramycin.

Terramycin[®]

BRAND OF OXYTETRACYCLINE

VETERINARY

INTRAVENOUS

250 mg., 500 mg., 1 Gm.,
2.5 Gm. (with Water for
Injection, U. S. P.)

CAPSULES

50 mg., 100 mg.,
250 mg.

INTRAMUSCULAR

100 mg., 1 Gm.,
5 Gm.

TABLETS (SCORED)

1 Gm.

also OINTMENT (TOPICAL) OPTHALMIC OINTMENT
OINTMENT FOR UDDER INFUSION

Veterinary Department



PFIZER LABORATORIES

Brooklyn 6, N. Y.

Division, Chas. Pfizer & Co., Inc.

speed tissue repair



in **wounds** (especially slow healing)

burns • ulcers (external)

sore, cracked teats

otitis externa

postpartum perineal tears

with simple, safe, effective



DESITIN[®] OINTMENT

the pioneer external cod liver oil therapy



*it's the **cod liver oil** that*

makes the healing difference!

Soothing, protective, healing . . . eases pain, itch,
and irritation...eliminates necrotic debris...speeds
smooth epithelization in impaired surface tissues.



DESITIN Ointment is a stable, non-irritant
blend of crude Norwegian cod liver oil
(with unsaturated fatty acids and vitamins A
and D in proper ratio for maximum efficacy),
zinc oxide, talcum, petrolatum and lanolin.
Dressings easily applied and removed
without disturbing granulation. Jars of 1 lb.;
tubes of 1 oz., 2 oz., 4 oz.



• *write for professional
samples and literature*

Veterinary Dept.

DESITIN CHEMICAL COMPANY
70 Ship Street, Providence 2, R. I.

ONE OF MANY FROMM FIRSTS

BIVALENT SERUM

FROMM was first to
introduce a Bivalent
canine distemper
and anti-infectious
hepatitis serum

FROMM

was first to pasteurize

FROMM

was first to filter



FROMM
LABORATORIES,
INC.

GRAFTON, WISCONSIN, U.S.A.

FROMM originated this effective two-way protection against hepatitis and distemper in dogs. **PASTEURIZED — FILTERED — SAFE —**

this **BIVALENT SERUM** is your dependable protection to dogs against two serious diseases having almost identical early symptoms. Always inject **FROMM BIVALENT SERUM** whenever the symptoms of your dog patients indicate either distemper or infectious hepatitis. It provides a prompt and passive immunity in one injection.

- Sold only to Qualified Graduate Veterinarians
- Supplied in 50 CC. and 100 CC. vials

CONTACT YOUR LOCAL INDEPENDENT DISTRIBUTOR

FORT DODGE

Available Now!

**Anti-Canine Distemper Serum
and
Anti-Infectious Canine Hepatitis Serum
(Canine Origin)**

This bivalent antiserum is produced with exacting care to rigid FORT DODGE standards. Fully effective in the prevention and treatment of either canine distemper or infectious canine hepatitis, while simultaneously protecting against the other disease. Dosage: 0.5 to 1 cc. per pound bodyweight, subcutaneously. For treatment, repeat as indicated. Also recommended as a prophylactic or therapeutic aid in distemper and encephalitis in foxes.



FORT DODGE LABORATORIES, INC.
FORT DODGE, IOWA



There is Just ONE Kind of Ethics...

Is YOUR veterinary supply company FOR you—
or AGAINST you?

You know you are dealing with companies that are 100% FOR the veterinarian when you purchase from members of Associated Serum Producers. These companies, listed below, sell to *veterinarians* exclusively—and also set aside a part of their profits to finance the national public relations campaign on behalf of the profession.

When you buy from one of them you are helping yourself, and your fellow veterinarians.

Sioux City Serum Co.
Sioux Falls Serum Co.
The Southwestern Serum Co.
Allied Laboratories, Inc.
Blue Cross Serum Co.
The Columbus Serum Co.
Corn Belt Laboratories, Inc.
The Corn States Serum Co.


Fort Dodge Laboratories, Inc.
Grain Belt Supply Co.
The Gregory Laboratory, Inc.
Jensen-Salsbery Laboratories, Inc.
Liberty Laboratories
The National Laboratories Corp.
Norden Laboratories
Pitman-Moore Co.

● **ASSOCIATED SERUM PRODUCERS, INC.**

Sponsors of American Foundation for Animal Health



for
small
animals



* it's the "DUPLEX" by Cagecraft

SPECIALLY ENGINEERED TO FULFILL REQUIREMENTS FOR A VERSATILE UTILITY CAGE FOR CATS AND SMALLER ANIMALS. Two cages in one, mobile, collapsible and designed for the ultimate in sanitation, this ruggedly-beautiful cage is being used for...

- A receiving cage.
- Inter-ward transportation.
- Treatment and observation cage in the surgery.
- An effective drying cage.
- General boarding cage for cats.

The Duplex is easily disassembled, and can be stored in less than one cubic foot of space. It can be stacked 3 high on the mobile stand, or hung from a wall. Truly, the "DUPLEX" is the inexpensive utility cage you have needed.

watch for "MULTIPLES", vari-sized cages designed by veterinarians for permanent installation!

CAGECRAFT, 2907 West Colorado Blvd., Los Angeles 41, California.
(Glendale Eaglerock Line)

WRITE
FOR FREE
BROCHURE!

CAGE
Craft

NEW MILK FORMULA for DOGS and PUPS...



NUTRITIONALLY COMPLETE!

PEEBLES' DOG-KIT is a milk formula like bitch's milk — high in fat, high in protein, and low in lactose. The protein of DOG-KIT is derived entirely from milk and contains the ten amino acids required by a dog for proper growth. The fat contained in Peebles' DOG-KIT is lard in the form of a vitamin fortified emulsion. In this finely homogenized easily digestible form, lard, with its high content of unsaturated fatty acids, is the ideal form of fat so essential yet frequently inadequate in dog rations. Lactose, the only carbohydrate in DOG-KIT, is present at a level comparable to that in bitch's milk. Thus, the diarrhea that frequently results from the high level of lactose present in cow's milk is avoided.

THIS unique milk formula can be used to completely replace bitch's milk — for raising motherless pups, for supplemental feeding of large litters, and for feeding runts. Pups weaned on Peebles' DOG-KIT bloom forth with sleek glossy coat, firm flesh, and strong straight bones. DOG-KIT makes an ideal supplement to the diet of any adult dog, for building up underweight and malnourished dogs, for therapeutic feeding where an easily digestible and highly palatable food is required, and to adequately meet the special nutritional demands of pregnant and lactating bitches.

DKA-14

Peebles' DOG-KIT Milk Formula
HIGH PROTEIN POWDER COMBINED
WITH FORTIFIED FAT EMULSION
Approximate Analysis per Pound
(Dry Basis)

Protein (Milk)	29%
Fat (Animal)	47%
Carbohydrate (Lactose)	17%
Minerals (Ash)	6%
Vitamin A	20,000 I.U.
Vitamin B ₁ (Thiamin)	4.60 mg.
Vitamin B ₂ (Riboflavin)	12.00 mg.
Vitamin B ₆ (Pyridoxine)	40.00 mg.
Vitamin B ₁₂	8.80 U.C.
Vitamin D ₂	4,500 I.U.
Vitamin E	50 I.U.
Vitamin K	6.50 mg.
Inositol	600.00 mg.
Niacin	50.00 mg.
Methionine	3.00 gm.
Pantothenic Acid	80.00 mg.
Calcium	7.50 gm.
Phosphorus	5.00 gm.

PLUS

Chlorine	Magnesium
Cobalt	Manganese
Copper	Potassium
Folic Acid	Sodium
Iodine	Sulfur
Iron	Zinc

MONEY-BACK GUARANTEE ON PEEBLES' DOG-KIT

We guarantee you complete satisfaction with the feeding results of Peebles' DOG-KIT when fed as directed. If you are not completely convinced that the DOG-KIT raises better pups than any similar product, give your dealer a written statement as to why you are not satisfied. He will cheerfully refund the full purchase price of the Peebles' DOG-KIT you used during your test.

WESTERN CONDENSING COMPANY
411 Battery Street • San Francisco, Calif.

Announcing . . .

The Most Sweeping Advance in Veterinary History of Dehorning Cattle



WYNKOOP'S UNIVERSAL HORN SAW

**First and Finest For
the Profession**

We've taken the work out of dehorning

UNIVERSAL HORN SAW removes horns easily when growing at improper angles

UNIVERSAL HORN SAW lessens pain and shock to animals

UNIVERSAL HORN SAW eliminates possibility of splintering the horn base

UNIVERSAL HORN SAW eliminates artery pulling; no tying of arteries with string, or rubber bands, is necessary

YES! UNIVERSAL HORN SAW is the ANSWER for fast, safe, easy method of dehorning cattle

WYNKOOP HORN SAW CO.

CANAL WINCHESTER

OHIO

Only VIRACINE is tissue-cultured in a test tube!



"So cultured it's never met a pig or rabbit" — that's the difference — animal passage plays no part whatsoever in the production of Viracine.



Viracine's test tube method of production in **LABORATORY MEDIA** assures you a modified live virus vaccine that can be, and is, carefully controlled and checked for virulence, safety and potency.



Hogs vaccinated with Viracine and anti-hog cholera serum are solidly protected against hog cholera.

Viracine is the only tissue-cultured hog cholera vaccine available — and to veterinarians only. Order Viracine from your Cutter distributor in 5, 25 and 50 dose packages, complete with diluent.

For Viracine literature write ↗



TISSUE CULTURED

Viracine

Hog Cholera Vaccine

"So cultured it's never met a pig or a rabbit."

CUTTER Laboratories

Berkeley, California • Chicago, Illinois



THE CALIFORNIA VETERINARIAN

SEPTEMBER-OCTOBER, 1953

Contents

	Page		Page
Report of the Annual Meeting, CSVMA Women's Auxiliary	16	Surital Sodium Anesthesia in Dogs and Cats, F. E. Eads	24, 25, 26
President's Message	17	Secretary's Report	26, 32
Not for Animals, Only, W. S. Gochenour	18, 19, 20	Report of Delegate to House of Representatives, AVMA	27
New Vehicle for Wound Treatment	20	Opportunities	28
Advice to Farmers	20	Membership CSVMA	29, 30, 31
Applicants	20	CSVMA Committees	32
Intervertebral Disc Protrusions in the Dog, B. F. Hoerlein	21, 32	Officers and Meeting Dates of Local Associations	33
Distemper Vaccine Immunization, George R. Burch	22, 23, 31	Women's Auxiliary Membership	34
		Dr. Rosenberger Retires	34
		Department of Agriculture Promotions	34

Index to Advertisers

Ashe Lockhart, Inc.	43	Jensen-Salsbery Laboratories, Inc.	Back Cover
Associated Serum Producers, Inc.	10	Lederle Laboratories	41
Cagecraft	11	S. E. Massengill Company	4
Calo Dog Food Co., Inc.	2	National Casualty Company	35
Central City Chemical Consolidated	16	Norden Laboratories	3
Chas. Pfizer & Co., Inc.	6, 38	Parke, Davis & Company	39
Cutter Laboratories	14	Pitman-Moore Company	40
Desitin Chemical Company	7	Sharpe & Dohme	5
Fort Dodge Laboratories, Inc.	9	E. C. Smith Company	35
Fromm Laboratories	8	Upjohn Company	36-37
Goshen Laboratories, Inc.	34	Western Condensing Company	12
Haver-Glover Laboratories	42	Wynkoop Horn Saw Co.	13

Officers

PAUL D. DELAY	President	W. J. ZONTINE	First Vice-President
E. G. LEDONNE	Treasurer	A. M. MCCAPES	Second Vice-President
CHARLES S. TRAVERS	Executive Secretary	A. MACK SCOTT	Third Vice-President
C. EDWARD TAYLOR and FRED B. PULLING, JR.,	Sergeants-at-Arms		

Executive Committee

A. R. INMAN	E. G. LEDONNE	A. MACK SCOTT	PAUL D. DELAY
	A. M. MCCAPES	CHARLES D. STAFFORD	

Board of Governors

PAUL D. DELAY, President	A. R. INMAN, Past President	W. J. ZONTINE, First Vice-President
--------------------------	-----------------------------	-------------------------------------

Editorial Staff

CHARLES S. TRAVERS, Managing Editor

JOHN F. CHRISTENSEN	PAUL D. DELAY	E. C. BAXTER	CYRIL J. PADFIELD	DON BARR
---------------------	---------------	--------------	-------------------	----------

Associate Editors

Research	Small Animals	Animal Sciences
H. S. CAMERON	E. C. JONES	GEORGE HART, DONALD JASPER
D. C. LINDLEY, O. W. SCHALM	G. M. SIMMONS	A. S. ROSENWALD
Public Health	Foreign Reviews	Large Animals
F. P. WILCOX, BEN DEAN	S. Z. ZAKS	FRED B. PULLING, ROBERT ORMSBEE
C. E. WICKTOR		V. C. BUNKER

Volume 7

Number 1

Published Bi-Monthly by the California State Veterinary Medical Association, 3004 16th Street, San Francisco 3, California. Devoted to promote Veterinary Science, to increase the esteem of the general public for the veterinarian, to protect his rights and privileges and to elevate the standard of the profession generally in scientific intercourse. Address all communications to The California State Veterinary Medical Association, Charles S. Travers, Executive Secretary. Please notify us immediately of incorrect address or change of address.

Unsolicited manuscripts are at sender's risk, and when received will not be returned unless accompanied by return postage. The Association is not responsible for views of contributors and we reserve the right to edit and condense articles. Advertising rates will be furnished upon request.

(Copyright, 1953, by California State Veterinary Medical Assn.—Reproduction prohibited Without Permission.)

FOR TREATING

- Mastitis
- Topical Lesions

P2S OINTMENT

100,000 Units of Penicillin
Streptomycin 50 mg.
Sulfanilamide 5%
Sulfathiazole 5%
in soft ointment base

P2S STRONG

300,000 Units Penicillin
Streptomycin 225 mg.
Sulfanilamide 5%, Sulfathiazole 5%
in soft ointment base

Extensive clinical use has proved the value of **P2S** for intramammary treatment of bovine mastitis and for topical application to lesions of the skin and mucosa. A useful product for both large and small animal practice and an excellent dispensing item.

Both **P2S Ointment** and **P2S Strong** are supplied in packages of 1 Dozen 7.5 gm. tubes.

CENTRAL CITY CHEMICAL CONSOLIDATED
Sutter 1-2644
617 Howard Street, San Francisco

Report of the Annual Meeting, CSVMA Women's Auxiliary

The 23d Annual Meeting of the Women's Auxiliary to the CSVMA was held at the Lafayette Hotel, Long Beach, June 22-24, 1953, with eighty ladies in attendance.

Mrs. T. J. Hage of Davis, President, presided over the business meeting held at the Victor Hugo Restaurant. She expressed appreciation to the committee for all of their efforts in making the enjoyable social program possible.

The members voted to continue annual donations of \$25 to the AVMA Auxiliary Student Loan Fund; \$15 to the AVMA Research Program, and \$5 to the Medical Research Association of California. Five \$200 student loans were granted to graduating students of the School of Veterinary Medicine at Davis.

A most favorable membership report was given by Mrs. C. D. Stafford, Novato, Vice-President. Since June, 1952, we gained 100 members. (This number was further increased during our convention to a record-breaking 247.)

Donations to the Auxiliary loan fund were received and reports were given from the following local auxiliaries:

1. Alameda-Contra Costa Counties, by Mrs. B. H. Dean, President, who presented \$100 in memory of Mrs. E. V. Edmonds. Mrs. Edmonds was President of the CSVMA Auxiliary in 1950-51.
2. Central California, by Mrs. E. R. Braun, Hanford, \$25.
3. Redwood Empire, which is not an organized auxiliary, gave \$50, presented by Mrs. Stafford.
4. Sacramento Valley, by Mrs. P. D. DeLay of Sacramento, \$100.
5. Southern California, by Mrs. C. H. Ozanian of Bellflower, \$50.
6. San Diego County, by Mrs. Philip Haims of San Diego, \$25.
7. Donation received from Bay Counties.

The following officers were elected for the ensuing year: President, Mrs. Charles D. Stafford, Novato; First Vice-President, Mrs. Thomas B. Eville, Fresno; Second Vice-President, Mrs. Charles E. Irvin, Yucaipa; Secretary-Treasurer, Mrs. John C. O'Brien, Sebastopol.

The meeting was then adjourned. A delicious luncheon followed, after which Melinda Kay gave a demonstration of hats. She presented, in appropriate costume, hats of all vintage some of which dated back to President Lincoln's inauguration. The Wilton Hotel was the scene of the banquet and dance. Planned entertainment was concluded on Wednesday with a trip to Knott's Berry Farm and Ghost Town.

MRS. T. B. EVILLE,
Retiring Secretary.

President's Message



DR. PAUL D. DE LAY

Membership in the California Veterinary Medical Association has increased by approximately 250 members during the past three years. There has also been a marked increase in the population of the state and a corresponding expansion within the livestock industry.

The causes of several disease entities not previously encountered have within the past few years been established. Many other infections are not adequately controlled and offer challenge to the veterinary profession. All of these factors tend to increase the responsibility of the veterinary profession. In accepting this responsibility, the veterinarian must not only serve, but advise, cooperate and lead. The recent growth of the Association indicates that the profession is prepared through individual and group action to meet the ever-changing complexities encountered in the field of disease control.

Through strong associations, both state and local, the veterinarian is provided with a medium through which he can cooperate with livestock organizations, the allied professions, and representatives of small animal groups to solve common problems. The veterinarian in turn may also benefit by the social and educational opportunities offered through state and local associations.

It was most gratifying to note at the Long Beach meeting the interest on the part of local association representatives in the state association problems, and I very much appreciate the wholehearted cooperation of those members who have offered to serve on committees during the year 1953-54.

I wish to take this opportunity to sincerely thank all members of our association for the honor and distinction which you have conferred on me. As president, I shall do my utmost to fulfill your confidence in me.

PAUL D. DE LAY, D.V.M.

NOT FOR ANIMALS, ONLY!

W. S. GOCHENOUR*

Mr. Chairman, Fellow Veterinarians, Ladies and Gentlemen of the Radio Audience:

It is a particular challenge to me to try to interpret this meeting of the California State Veterinary Medical Association, and the veterinary profession to the public at large. I've been trying to interpret my job to my non-veterinarian friends for many years, but I guess we veterinarians will always be open to question when we talk about sitting up all night with a sick animal.

But, I have been gratified to find the amount of interest shown by my non-veterinarian friends when I explain the too-often, little-realized interrelationship between animal medicine and human medicine—and the contributions the veterinary profession has made to the health and well-being of the general public.

So, it is a particular pleasure for me to be addressing you of the radio audience from this meeting today—because meetings such as this do provide a service to the public as well as to the profession. The veterinarians gathered here today discuss and are interested—not only in diseases which attack animals alone—but also in those animal diseases transmissible to man—diseases which may attack man's family, may affect his food, or may attack his livestock and household pets.

The veterinary profession's activities affect the entire nation, the entire world. Every individual who eats food benefits from the wide scope of our professional knowledge and research. No farm, however remote, is completely independent of our services—or totally unaware of our activities. Very few pet owners today fail to call for our professional advice or treatment somewhere along the line in the care and protection of man's best friend or other household animals.

We veterinarians . . . as other professional people . . . are conscientious about our responsibilities and naturally proud of our accomplishments. So, for a few minutes, I would like to tell you of the listening audience about our organizations, our work and our plans.

Our interests are international in nature. We of the profession gather and exchange information concerning the health problems of animals and humans from the world at large. This group meeting today . . . the California State Veterinary Medical Association . . . represents only one of 48 state associations within our own country. Our national organization—which includes Canada and Mexico as well as the United States—the American Veterinary Medical Association—will meet in

Toronto, Canada, in July. Then, this summer, the International Veterinary Congress will meet in Stockholm, Sweden, where veterinary medicine, as it applies to the world in general, will be discussed. There, amid the comparative calm and reserve of the Swedish culture, knowledge brought from all nations will be shared, discussed and transmitted—for the world-wide safeguarding of livestock, pets and mankind.

Through these meetings . . . through articles published in newspapers, and in the professional journals . . . through radio . . . and now television . . . we are able to acquaint the general public with our activities.

One of our major activities is safeguarding our own country against imported diseases—and this is no small project today. As international transportation is facilitated . . . and as international trade expands . . . it becomes more and more important to be fully acquainted with animal diseases all over the world. Understanding the nature and cause of these diseases and the means by which they are spread is one of the American veterinarian's responsibilities,—so that appropriate barriers may be set up to prevent, insofar as possible, entrance of these diseases into the United States. Should a foreign disease circumvent such barriers, it is the responsibility of the veterinary profession to recognize that newly introduced disease *promptly*, and to take whatever steps are necessary to stamp it out.

Before World War II made globe-girdling by air a commonplace, veterinarians had only to inspect every ship landing at our docks to build a barrier against foreign-animal diseases. Now, with constantly-arriving oceanic planes, our veterinarians must be even more on the alert. The veterinarian must gain an intimate knowledge of the diseases of every continent—for even a single insect, surviving a speedy trip through the international clouds by plane, may carry a new and devastating disease to America's domestic animals in the home as well as on the farm and ranch.

This new danger is one added reason why every owner of a pet or of livestock should take advantage of the presence and knowledge of his veterinarian—to insure safeguarding against the chance introduction of a foreign disease which might, unless detected early, wipe out the entire animal population of any community or rural area.

It is universally conceded that we in the United States are fortunate, in that our country is comparatively free from dread animal plagues common to other lands—because of the vigilance of the American veterinary profession. But at this point, let me sound an

*Presented at the opening session of the annual meeting of the CSVMA and broadcast over radio station KGER.

"alert" for every owner of an animal everywhere: To keep our animals safe—joint co-operation of the public and the profession is essential—it is our greatest safeguard against animal disease.

Another responsibility of the veterinarian—which I mentioned before, but cannot be too strongly stressed—is the safeguarding of food. Because of specialized scientific training in bacteriology, parasitism, and sanitation—and because of the quick recognition of even slight evidences of disease in animal carcasses—veterinarians have been given the grave responsibility of safeguarding America—and, incidentally our armed forces overseas, from the danger of unfit food. The basis of a wholesome and adequate food supply is always a healthy, prosperous livestock industry! Along the same line, and even more obvious, is the inspection of America's milk supply—conducted, of course, by American veterinarians.

And here, let me add a word about the large and important group of veterinarians who devote the major part of their time to the ailments of pet animals. It is well known that our pets and livestock are subject to many ailments—both infectious and non-infectious—as well as to injuries and deforming diseases which require surgery. Our practitioners treat their patients, large and small, with all the skill and knowledge that is known to modern medicine—and in the small animal field, too, the veterinarian's ingenuity aids human health. For instance, did you know that the metallic splints which have so speeded up the recovery from broken bones in human surgery were first used by a veterinarian in treating the broken bones of dogs? Actually, the veterinary profession has much in common with the human medical profession. What is learned in one may oftentimes be applied to the other.

This intercommunication of professional knowledge between the animal physician and the human physician is one of our least publicized but greatest responsibilities. Few persons not engaged in the livestock business realize the number, variety and seriousness of the diseases and parasitic ailments that attack domestic animals and are transmissible to man.

As a pertinent example of co-operation between veterinarians and physicians in controlling such diseases, tuberculosis of cattle was for centuries a primary cause of tuberculosis in man. The veterinary profession attacked and suppressed tuberculosis of cattle. As a result, Dr. J. Arthur Myers, who is a physician serving as chairman of the committee on tuberculosis, Minnesota State Medical Association, said, "The veterinarians' program pointed the way for the control of tuberculosis in man . . . These achievements constitute man's greatest victory over tuberculosis." And we in the veterinary profession know that our chief thought in controlling tuberculosis among cattle was the prevention

of the spread of bovine tuberculosis in man. Thus, not only did veterinarians give the original impetus to organized world-wide tuberculosis control, but they pioneered many advances in the scientific attack on the disease.

Another example of the veterinary profession's contribution to our well-being concerns the transmission of diseases by insects. Down through the years veterinarians have found certain infectious diseases of animals to be transmissible by insects. Such findings have frequently prompted the thought that certain diseases of man might be transmissible by insects. For example this was found to be the case in yellow fever, typhus, and African sleeping sickness. These diseases in both animals and human beings have been suppressed by the control of the responsible insect. It is well-known that the construction of the Panama Canal was brought to a halt by the devastating effects of yellow fever. Construction crews sickened with the fever as fast as they could be hired. Through the effective control of the mosquito, yellow fever was controlled, construction was resumed and the Canal completed. None of this would have been possible had not veterinarians discovered that insects can transmit disease.

Today, the great Panama Canal, bulwark of America's defenses and shortcut to the commerce of the world, stands as a lasting monument to the veterinary profession. This has remarkable social as well as medical implications—for through this discovery of the veterinary profession, the way was lighted for the well co-ordinated sanitary work which has made this once-dreaded scourge a rarity among mankind.

Small but treacherous parasites, too, were caught under the veterinarian's microscope. This came about through our work on control of hookworm disease. It was the Bureau of Animal Industry, founded and directed by veterinarians, which first announced that this disease was caused by a parasite—the hookworm—common to both animals and man. Subsequently, methods of treating parasitic diseases of animals were found applicable to the treatment of parasitic diseases of man.

But we have not been alert only to man's diseases attributable to other living creatures. Of special interest is the case history of silicosis, a disease caused by inhaling dust. This disease is so common in some occupations that its treatment has become a medical specialty. Yet, centuries before physicians gave serious thought to silicosis, early Roman and Arabian veterinarians had recognized the ill effects of inhaling sandy dust stirred up by horses on desert marches.

Virus diseases are frequently in the news these days. Here, too, the veterinarian has provided important contributions. Findings on virus diseases of animals—and the development of virus vaccines for these diseases—

have paved the way for similar studies in the treatment of virus diseases of man. Out of these studies have developed virus vaccines for preventive medicine in humans, such as influenza vaccine, yellow fever vaccine, and the recently announced experimental vaccines for polio.

Yes—the veterinarian is constantly on the alert.

As recently as a few days ago, word came from Mexico that foot and mouth disease has attacked there again.

It is a vicious disease. It can result in whole countryside of emaciated cows. It can result in a vast loss to the national economy. But each time the disease has threatened our borders, the American veterinary profession has been alert—as it is now. And again, through quick action and professional knowledge, the best possible barriers against entry of this disease into our country have been set up by the United States Bureau of Animal Industry. Veterinarians in our border states, including your own California, are, even as I now speak to you, engaged in this work. And, by application of these eradication measures, foot and mouth disease will again be kept from spreading across the border and attacking our livestock.

Another livestock disease—tick fever—which, if it had not been checked, could have cost our American economy and our cattle raisers more than fifty million dollars annually—has been wiped out in this country by the veterinary profession. It was a veterinarian, Cooper Curtice, who began the studies which proved that this malady was transmitted by the cattle tick. And—as a result of these studies—the way was opened for conquest of all insect-borne diseases of animals and man, including the previously mentioned control of yellow fever.

The record shows that the veterinary profession has made noteworthy contributions to public health and to eradication and suppression of infectious diseases. However, eradication of all infectious diseases has not yet been possible. Through study, and through application of knowledge gained, progress is being made steadily and rapidly. Among the important diseases which are being effectively suppressed and, hopefully, that are in the process of elimination are rabies, tuberculosis, brucellosis, anthrax, swine erysipelas, hog cholera, and other diseases of animals.

Now, I do hope that, if I have established no other point here today, you in the listening audience will realize that the veterinary profession is *not* for animals only. It is closely related to human medical science and has contributed vastly to the well-being of every man, woman and child in the world today. We veterinarians are conscientious about and proud of our profession, and we are not resting on our laurels. Our eyes are turned toward

the future. It is extremely encouraging for us old-timers to know that since the beginning of World War II, new veterinary schools have been established in seven states including California. These schools are helping to relieve the shortage of veterinarians. It is estimated that the 17 veterinary schools in the United States will yearly add to the ranks of the profession one thousand recruits trained in modern veterinary medicine. This will more than offset the losses of the profession by normal attrition due to deaths and retirements. These additions to the ranks will insure continuation of the status of the United States as the best place in the world in which to raise livestock and to maintain pet animals—and will insure the continuation of veterinary research and of the veterinary profession's contribution to the health and well-being of mankind.

New Vehicle for Wound Treatment

Goshen Laboratories have called our attention to Solprogel, a product of Soluble Products Co., which has been found to be a suitable vehicle for application of antibiotics and chemotherapeutic agents. An unsuitable vehicle can inhibit the action of the agent, or react with it, or act as a culture medium, or in other ways prevent most favorable results. Solprogel is a white granular substance which gives the desired consistency when mixed with water. It is sterile, not a culture medium, does not interfere with wound healing processes, and does not react with the chemotherapeutic agents thus far tested, or interfere with their activity.

Advice to Farmers

Squibb has begun an interesting new series of ads (see *Farm Journal* or *Successful Farming*). The theme is "it takes all three," good management, good veterinary service, and good drugs. From a veterinarian's point of view, this is sound advertising. Even with the best modern knowledge we cannot do our job well when our clients don't do theirs, nor could we operate successfully without reliable biologics and pharmaceuticals. We are glad to see advertisements of common sense, in good taste, and attractive to the eye.

Applicants

Harry H. Page, Yreka. Vouchers: J. F. Chastain, James G. Rice.

E. R. Holland, Fortuna. Vouchers: W. H. Rockey, R. P. Gobler.

Texas Veterinary Medical Association Annual Meeting. Hotel Galvez, Galveston, Texas, January 24-26, 1954. Dr. Henry Fisherman, Chairman, 1711 Telephone Road, Houston; Dr. Alvin A. Price, Executive Secretary, College Station.

INTERVERTEBRAL DISC PROTRUSIONS IN THE DOG*

B. F. HOERLEIN, D.V.M., Ph.D.

The term *disc protrusions* is an all inclusive statement for (1) herniation of the nucleus without rupture of the annulus; (2) rupture of the annulus with an extrusion of the nucleus; (3) edema of the disc; and (4) rupture of the annulus and projection of the nucleus out under the dorsal longitudinal ligament.

The incidence of clinical disc protrusions in dogs is about 0.7 per cent. The incidence of abnormal discs in clinically normal dogs as determined in 130 autopsy dogs was 41.5 per cent. Eighty-seven per cent of these positive dogs (autopsy survey) were over five years of age.

The most prevalent age of clinical protrusion cases was three years. The percentage incidence was determined to be: Cocker Spaniel, 2 per cent; Dachshund, 8.3 per cent, and Beagle, 1.8 per cent. Both sexes were affected with about equal frequency. It was concluded that any breed can be affected, however, the condition is more frequently seen in the Dachshund, Cocker Spaniel, Pekingese, and Beagle.

The location of the disc protrusions is usually cervical, at the thoraco-lumbar vertebral junction, or the lumbar intervertebral discs. The most frequent location is the 13T-1L disc. The mid-thoracic discs are rarely affected, largely because of the substantial ligamentum conjugale costarum which runs between the heads of the ribs and in the dorsal part of the annulus fibrosus.

The clinical manifestations of disc protrusions are (1) pain; (2) paresis and/or incoordination; (3) paraplegia; and (4) an acute progressive fatal paralysis.

The pain may be local or referred. The animal is unwilling to move, jump, climb stairs, and may cry or whine for no apparent reason. In paresis and/or incoordination the animal may show an incoordination of the part affected, curling under and scuffing of the toes or paw, and general weakness. Paraplegia may be spastic or flaccid. Spastic paraplegia may be associated with pain; the tendon reflexes are exaggerated, urine and feces are retained, and hind legs are carried under the body. In flaccid paraplegia there is usually little pain, tendon reflexes are hypoesthetic, little muscle tone, legs are dragged behind the body, and incontinence of urine and feces is usually seen.

The positive diagnosis of the condition is made by the results of contrast spinograms (lateral and DV views) as correlated to the findings of a neurological examination. If the

normal spinogram is negative in a recent non-calcified lesion, contrast myelography is used. Pantopaque, the recommended contrast medium, is relatively nontoxic clinically but may produce a chronic leptomeningitis microscopically. This medium should be given in the subarachnoid space, most accessible at the atlanto-occipital interspace. Neurological examinations are helpful in establishing a diagnosis, and pain over a specific disc aids in the location of the pathological lesion. Laboratory tests are only of value as an aid in eliminating other conditions.

The methods of treatment are grouped into the conservative and surgical categories. The conservative method consists of rest and symptomatic drug therapy. Surgery includes the dorsal laminectomy, hemilaminectomy, and the disc fenestration or curettage. Such drugs as B complex vitamins (especially thiamin), calcium, thyroid extract, salicylates, cinchophens, physostigmine, and antispasmodics are of value. Probably of more or at least equal importance are good nursing procedures, such as maintaining urine and fecal excretions, physiotherapy, support for hind legs by slings or casts, high nutritive diet, and the prevention of secondary infections.

The dorsal laminectomy is the most radical surgery and consists of the exposure of the dorsum of the cord by a removal of the dorsal bony lamina. The cord is retracted and correction is made. This surgical procedure is rarely used in small animal surgery.

The hemilaminectomy consists of a lateral exposure of the spinal cord by removal of the articular process, trephination into the canal or removal of the lateral bony lamina, and correction of the disc protrusion. This is not so radical as the dorsal laminectomy and can be effectively combined with the disc fenestration.

The disc fenestration or curettage consists of lateral puncture and removal of the disc without invading the spinal canal. It is designed to decrease pressure exerted on the cord by the disc protrusion and to stabilize the injury to preclude recurrence. This is the least radical of the three surgical procedures described, and should be combined with the hemilaminectomy in older and recurrent lesions.

Conservative treatment can be considered in:

1. Most pain conditions
2. Acute progressive myelitis
3. Dog showing normal reflexes, can support weight, with normal urine and bowel function.

(Continued on page 32)

*Abstract of paper given at California State Veterinary Medical Association convention, Long Beach, California, June 22, 23, 24 1953.

DISTEMPER VACCINE IMMUNIZATION

GEORGE R. BURCH, D.V.M.,† *New Augusta, Indiana*

The protection of susceptible puppies from bacterial and/or viral infections is of prime importance in canine research. At this Research Farm, the mortality rate among unimmunized puppies from the distemper complex is very high. This high mortality is due to the usual presence of dogs in the unit that have symptoms of the distemper complex (hard-pad disease, convulsions, pneumonia, infectious hepatitis).

Since preliminary studies here with Virogen* had indicated this vaccine could be successfully used to protect puppies intended for long term projects against this disease complex, it was decided to instigate a controlled immunization program to obtain information concerning its protective ability.

Procedure

Four litters of puppies were raised in another building separate from the canine research unit. Each litter was divided into vaccinates and controls. Virogen injections, $\frac{1}{2}$ to 2 cc., were initiated when the pups were approximately five weeks old, and were repeated at two-week intervals, until the animals

had reached four months of age. Volume of the injection was gradually increased as the animals gained in weight. At the age of four months, the pups received three 5-cc. injections. The first two 5-cc. injections were at two-week intervals, and the third 5-cc. injection was given one to two months after the second. Contact exposure to disease was accomplished by placing the litters in a unit where the distemper complex was known to exist. The surviving animals were again exposed 9-11 months after initiation of the vaccine prophylaxis, by re-introducing them to the unit. In addition, each animal was inoculated with 2 cc. of tissue suspension containing the virulent virus of Carré.

Comment

As recorded in Table I, 12 of 14 vaccinates survived the diseases that resulted in the death of all the 10 control pups. Thus, this study substantiates previous observations that the vaccine can be used to protect puppies against the distemper complex. Seven of the dogs which succumbed showed histopathological evidence of infectious hepatitis inclusion bodies. In two of these seven pups, distemper inclusion bodies were also present. These



FIGURE 1—Control Pup, Litter III



FIGURE 3—Control Pup, Litter IV



FIGURE 2—Vaccinate Pup, Litter III



FIGURE 4—Vaccinate Pups, Litter IV

†Pitman-Moore Research Farm, New Augusta, Ind.
*Trademark, Pitman-Moore Co., Indianapolis.

seven puppies died very suddenly. Autopsy revealed serous hemorrhagic fluid in the abdominal cavity, friable livers, edematous gall bladders, and hemorrhages on the lungs. The deaths occurred eleven to twenty-three days, after exposure in the distemper unit. Since only one vaccinated pup died from infectious hepatitis as compared with six controls, it suggests that Virogen immunization may confer some degree of protection against this disease. It should be pointed out, however, that the volume of Virogen used, was much greater than the dose of infectious hepatitis vaccine required to protect susceptible dogs (1 cc. I.H. Vaccine* intradermally). Figures 1 and 2 show a control and vaccinate from Litter No. 3. It is noted that the control pup is obviously sick with distemper-like symptoms—yet on autopsy, the tissues do not show any histopathologic evidence of inclusion bodies. The control pup in Litter No. 4, which succumbed,

showed severe convulsions prior to death (Fig. 3). The two vaccinates of this litter (Fig. 4) remained normal throughout the experiment, even though they were kept in the same pen with the convulsive controls. The tissues from the control puppies failed to reveal evidence of inclusion bodies. It is possible that the early deaths from hepatitis accounts for the low incidence of distemper inclusion bodies observed in this study. It has been noted that typical clinical distemper symptoms in susceptible puppies have occurred approximately 30 days after entry into the unit.

Immunization procedure used in this study was arbitrarily decided upon from the standpoint of practicability and convenience. The amounts of vaccine used depended basically upon the size of the puppy. This study indicates that Virogen prophylaxis can be radically varied from the standard routine (three

(Continued on page 31)

*Trademark. Pitman-Moore Co., Indianapolis.

TABLE I
Results in Four Litters Used in Controlled Vaccine Experiment

Litter	Inoculation Procedure	Observations Noted, Dating From First Injection	Histo-Pathological Findings	
No. 1				
4 vaccinates	Initial Injection 2 cc. Virogen	64th Day: Control pup showing nasal and ocular discharge.	No evidence of inclusion of bodies of I.H.* or C.D.** Cause of death unknown. Inclusion bodies of I.H. and C.D. Inclusion bodies of I.H. and C.D. No evidence of inclusion bodies. Cause of death unknown.	
3 Controls	Total Vaccine administered per animal 35 cc.	78th Day: Vaccinated pup died. 99th Day: Six pups exposed to the distemper complex. 109th Day: Control pup died. 111th Day: Control pup died. 113th Day: Control pup died. 339th Day: Three pups re-exposed and inoculated with virus of Carré. Survival Rate 3 of 4 Vaccinates 0 of 3 Controls		
No. 2				
5 Vaccinates	Initial Injection 1/2 cc. Virogen	53rd Day: Eight pups exposed to the distemper complex.		Inclusion bodies of I.H. Inclusion bodies of I.H. Inclusion bodies of I.H. Inclusion bodies of I.H.
3 Controls	Total Vaccine administered per animal 31 cc.	70th Day: Vaccinated pup died. 71st Day: Control pup died. 76th Day: Control pup died. 77th Day: Control pup died. 294th Day: Four pups re-exposed and inoculated with virus of Carré. Survival Rate 4 of 5 Vaccinates 0 of 3 Controls		
No. 3				
3 Vaccinates	Initial Injection 1/2 cc. Virogen	126th Day: Five pups exposed to the distemper complex.	Inclusion bodies of I.H. No evidence of inclusion bodies Cause of death unknown.	
2 Controls	Total Vaccine administered per animal 21.5 cc.	140th Day: Control pup died. 151st Day: Control pup died. 312th Day: Three pups re-exposed and inoculated with virus of Carré. Survival Rate 3 of 3 Vaccinates 0 of 2 Controls		
No. 4				
2 Vaccinates	Initial Injection 1 cc. Virogen	62nd Day: Control pup died.	No evidence of inclusion bodies. Cause of death unknown. No evidence of inclusion bodies. Cause of death unknown.	
2 Controls	Total Vaccine administered per animal 31 cc.	71st Day: Control pup died. 119th Day: Two pups exposed to the distemper complex. 268th Day: Two vaccinates re-exposed and inoculated with virus of Carré. Survival Rate 2 of 2 Vaccinates 0 of 2 Controls		
*Infectious Hepatitis.				

*Infectious Hepatitis.

**Canine Distemper.

Surital Sodium Anesthesia in Dogs and Cats: A Symposium Covering 7522 Patients

F. E. EADS, D.V.M., M.S., *Detroit, Mich.*

Although intravenous anesthesia is one of the oldest means of rendering patients insensible to pain, the method has been actively studied only within the past 15 years. So far as is known, the earliest attempt to produce anesthesia by vein was made in 1665 when a solution of opium was given by means of a very crude hypodermic needle. For many years thereafter, intravenous anesthesia received only sporadic attention.

With the synthesis of barbiturates came renewed interest in intravenous anesthesia. One of the first barbiturates to be used intravenously was sodium amylal in 1929.

The search for more satisfactory anesthetic agents for intravenous use continued and ultimately resulted in development of a series of short-acting compounds referred to as thiobarbiturates. Surital sodium* is the most recently introduced member of this group.

Although short-acting barbiturates have certain characteristics in common and are closely related chemically, they differ to a marked degree in specific properties. Of special interest is the ability of various compounds to potentiate certain reflexes, especially laryngeal reflex, and depress those which control respiration and circulation. Obviously, any agent which has a lessened tendency toward production of laryngospasm, hypotension, and depression of respiration possesses properties desired by the veterinarian. The degree to which surital affects such reflexes accounts for its spontaneous recognition as an excellent intravenous anesthetic for dogs and cats.

The search for new anesthetic agents constantly continues. No intravenous anesthetic in common use today has adequately met the rigid requirements of an ideal anesthetic. Surital sodium, however, approaches the ideal and the purpose of this paper is to report on the combined data related to its use compiled by some 72 practicing veterinarians.

Pharmacologic Action

Numerous investigators have studied the pharmacologic action of surital sodium.¹⁻¹⁶ These studies revealed that surital is an anesthetic of extremely low toxicity,^{5,7,8} of rapid action,^{3,5,7,9} of few undesirable side actions,^{1,3,4,5,7,10} and is applicable over a wide range of anesthetic risks.^{3,4,5,7} As with all barbituric acid compounds, respiratory rates were decreased but respirations, in most in-

stances, were deep and regular and averaged 8 to 14 per minute.¹ Pulse rates were also slightly depressed in rate but were increased in force and amplitude. After apnea, the heartbeat continued for an average of five minutes unless respiration could be started again.⁵

Wyngaarden, et al. and Spencer and Coakley¹³ found that surital sodium produces an equally smooth and perhaps more rapid induction of anesthesia than pentothal, with fewer signs of excitement and more rapid recovery. They estimate that the potency is approximately 1.5 times that of pentothal in the dog. Similar results were obtained by Kelly, et al.¹⁴ Surital accumulates more slowly in dogs than does pentothal so that there appears to be less saturation of the detoxification mechanisms when this agent is employed.⁹

Surital sodium when used alone markedly stimulates the flow of saliva, but when it is combined with curare or is administered following premedication with atropine, this reaction is practically eliminated.¹¹

No damage to liver or to kidneys has been noted in dogs receiving from 1 to 18 injections given either on consecutive or on alternate days over periods of from 1 to 49 days.¹ Borgman⁵ observed no evidence of accumulation or of increased tolerance in two dogs anesthetized daily for 11 days.

In a study to determine toxicity of surital, Borgman⁵ found that a few dogs were able to survive 2.5 times the anesthetic dose of surital without stimulation but the margin of safety appeared to be less than a 1.75 dose. These results have been confirmed by Ezell.⁶

No local reactions have been encountered at the site of injection. However, surital, like other barbiturate solutions, is irritating if accidentally injected into the tissues surrounding a vein.

Solutions of surital should be used within one week after dilution since absorption of CO₂ from the air brings about lowering of the pH of the solution which causes precipitation of the salt.

It is preferable that the aqueous solvent employed for making surital solution (as with other barbiturates and thiobarbiturates) should not contain any substance such as phenol, dextrose, or buffer agents, since any of these may tend to cause precipitation. Injection of air from syringe into solution should also be avoided since this may hasten development of cloudiness.

*Product of Parke, Davis & Co., Detroit, Mich. Surital Sodium is that company's trade name for sodium 5-allyl-5-(1-methyl-butyl)-2-thiobarbituric acid.

¹See notes on page 28.

Method of Administration

Most veterinarians prefer to use 4 per cent solution of surital for dogs and cats; others use 2.5 per cent solution. When used intravenously as 4 per cent solution, the dosage is approximately 1 cc. per 5 lbs. of body weight. This is prepared by adding 25 cc. sterile physiological saline to the 1 Gm. vial.

As with other barbituric acid derivatives, larger or older animals as well as those in poor physical condition require less surital to produce anesthesia. Younger animals may require more anesthetic.

Surital is given by three principal methods: alone, following premedication with morphine and atropine, or concurrently with d-tubocurarine chloride. The latter two of these methods are described below.

Young and Eads¹⁰ reported on the use of surital sodium following administration of $\frac{1}{4}$ gr. of morphine and 1/150 gr. of atropine. Surital was given 20 to 30 minutes after administration of morphine and atropine. Longer anesthesia was produced and the operator was able to administer the surital intravenously unassisted. When premedication with morphine was used, it was necessary to administer only approximately 0.5 cc. of 4 per cent solution for each pound of body weight. Similar results were obtained by Reutner and Gruh-zit,¹ who administered methadon, 10 mg. for a 25-lb. dog, given subcutaneously one-half hour prior to injection of surital.

To obtain as much muscular relaxation as possible, Brinker¹¹ added curare to the diluted surital. To 1 Gm. of surital sodium he added 22.7 cc. sterile physiological saline and 2.3 cc. of d-tubocurarine chloride. This dilution was chosen so that the amount injected would correspond with the recommended average dose of both surital and curare.^{1,11} The concurrent intravenous administration of surital and curare provides maximum muscular relaxation for fracture reduction. Because the placental barrier is effective against curare,¹² and because it permits the use of smaller amounts of the anesthetic, combination of these two drugs is being used rather widely in performing cesarean sections.

Clinical Observations

Since release of surital sodium for investigational purposes, several thousand dogs and cats have received this anesthetic. Numerous publications reporting on use of this ultra-short-acting anesthetic in 1,268 dogs and cats have appeared in the literature,¹⁻¹⁶ while an even larger group of investigators (56), reporting on its use in 6,254 animals, made only case histories of their findings.

Because of its low toxicity, surital can be used in dogs and cats of any age. Animals up to 18 years of age and suffering from pyometra have been operated upon successfully using

surital as the sole anesthetic. With surgical procedures of longer duration than 20 minutes, syringe and needle may be taped in place on the leg so that additional amounts of the anesthetic may be given as indicated.

Surital has been used as a general anesthetic for such procedures as ovariectomies, removal of neoplasms, extraction of teeth, roentgenography, tissue biopsy, readjustment of splints, application of casts and other fracture fixation, removal of vocal cords, treatment and suturing of wounds, removal of nictitating membranes, cleaning teeth, relaxation of abdomen for deep palpation, removal of dew claws, castration, removal of foreign bodies, reduction of luxations, operative repair of hernias, amputation of tail, entropions, lancing of abscesses, ocular surgery, ear trimming, tonsillectomy, pyometra, urethrotomy, dressing of painful skin conditions and caesarean sections.

In performing three cesarean sections, Brinker¹¹ gave just enough surital and curare initially to accomplish relaxation, followed by small amounts while the operation was in progress, as indicated. The relaxation of the bitch was considered ideal. Seventeen puppies were removed from the three bitches, and all were alive except one which had been dead for several days. His observations indicated that minimum effect was produced on the puppies by surital-curare combination and that little difficulty was encountered in stimulating the puppy to breathe after removal from the uterus.

The solution should be injected slowly (usually 3 to 5 minutes) until the desired degree of anesthesia is obtained.

Surgical anesthesia usually persists for a period varying from 10 to 30 minutes depending upon depth of anesthesia. Recovery from the anesthetic is usually complete in approximately one and one-half hours.

Summary

Clinical data are presented covering 7,522 dogs and cats following use of surital sodium administered either alone, following premedication with morphine and atropine, or concurrently with d-tubocurarine chloride.

Results of clinical use of surital thus far indicate that anesthesia is of short duration; that induction and post-operative excitement are practically nil; that a relatively high margin of safety prevails if the agent is given slowly to effect, and that a minimum amount of circulatory and respiratory depression is produced.

Surgical anesthesia usually persists for a period varying from 10 to 30 minutes, depending upon the depth of anesthesia. Recovery from the anesthetic is usually complete in approximately one and one-half hours.

(Continued on page 28)

SECRETARY'S REPORT

I am herewith giving you a condensed report of the secretary's activities from June, 1952 to June, 1953.

In the September - October, 1952, issue of *THE CALIFORNIA VETERINARIAN* I made an exhaustive survey covering the following matters: Legislative, insurance, annual AVMA matters, local associations, meetings attended, press releases, publicity and public relations, report of our two conventions, matters of the Board of Examiners Veterinary Medicine, equitable compensation for governmental veterinarians, Women's Auxiliary and office work.

In the May-June issue you will find a report on the Legislative Committee about what happened in Sacramento. After a very strenuous campaign the committee accomplished all that could be expected with strong opposition presented here and there. The Committee on Equitable Compensation for Governmental Veterinarians should be highly congratulated on the very fine work they did in getting the salary increases. This I know has been very gratifying to all those involved and just shows what can be accomplished by the association when it goes after what it wants.

The year ending June 30, 1953, has been most satisfactory in all respects. Financially it tops all previous years. Membership is now over 825 with the enrollment of the senior class of 1953, Davis.

The mid-winter conference and the annual meeting were successful from many standpoints—good management, splendid programs, good attendance and financially successful.

THE CALIFORNIA VETERINARIAN has enjoyed its best year. From a 32-page book the convention issue of 1953 is 44 pages with 27 advertisers. The coming year 1953-54 will be a banner one for our publication.

I am very gratified to tell you that the response from exhibitors for space at the June meeting broke all records.

Through the efforts of my office on public relations we have had better cooperation from outside groups than ever before.

Our relationship with the AVMA has been closer than previous years and from what Dr. Van Houweling writes they seem much pleased with our help on the bill before Congress pertaining to First Lieutenants and the \$100 bonus, the Research Fund, speakers' bureau, radio matters, AVMA membership, resident secretary and reappointment of the AVMA executive board districts.

Office correspondence was heavier this year than usual on account of it being legislative year.

Toronto Meeting AVMA

The 90th annual convention of the AVMA held in Toronto, Canada, July 20-23, 1953, established an all-time attendance record of 3501. The splendid facilities of the Royal York Hotel together with excellent television demonstrations and the high quality scientific presentations repaid the efforts put forth by the committee and made the meeting a success and enjoyable to everyone. Dr. W. L. Boyd's presidential address was outstanding and Brigadier General James A. McCallam was installed president for the coming year. Dr. A. H. Quin of Kansas City, Missouri, was unanimously elected president elect.

Award Winners

The International Veterinary Congress prize was awarded to Dr. L. Van Es of Lincoln, Nebraska. The AVMA award went to Dr. George W. Gillie of Fort Wayne, Indiana. The 1953 Borden Award and medal were presented to Dr. George H. Hart, Dean of the School of Veterinary Medicine, Davis, California. The Humane Act award winner was 14-year-old Martin Nicholson, Lynn Valley, British Columbia, Canada.

Brucellosis Meeting

The Committee on Brucellosis termed brucellosis as the most costly cattle disease and recommended legislation, educational campaign and elimination of reactors as control features. Dr. H. C. Cameron, School of Veterinary Medicine, Davis, represented the CSVMA at the meeting.

Conference Meetings

A joint conference of constituent association secretaries, editors of veterinary medical publications, and members of constituent associations, public relations and ethic committees met on Sunday, July 19th, on "Our Total Public Relations Responsibility." Dr. J. L. Wells of Kansas City acted as chairman. The subject of public relations was thoroughly discussed. Following luncheon the four groups held separate meetings.

Editor's Meeting

Mr. J. L. Ruebel, editor of the Fort Dodge Bio Chemic Review, arranged the editors' program, inviting your secretary to present a paper on "Remember Your Responsibility." Dr. Ruebel acted as chairman of the meeting. Represented were veterinary journals, state association publications, college publications and house organs. In all, about twenty attended. From the talks and papers presented considerable interesting information and dif-

(Continued on page 32)

Report of Delegate to House of Representatives American Veterinary Medical Association

Toronto, Ontario, Canada, July 20-23, 1953

The House of Representatives of the American Veterinary Medical Association convened on July 18, 1953, in the Royal York Hotel, Toronto, Ontario, Canada.

Doctor Hubert C. Clark, Director of the Gorgas Institute, Canal Zone, and Doctor Peter F. Bahnsen, Georgia, were made honorary members of the American Veterinary Medical Association. Doctor Clark's research determined that cattle are a reservoir of equine trypanosomiasis. He also did outstanding work on piroplasmiasis of cattle. Doctor Bahnsen is a past president of the United States Livestock Sanitary Association. He has done outstanding work on tick eradication in Georgia and was honored by resolution by the Georgia House of Representatives.

The American Veterinary Medical Association and Michigan State College are producing thirteen record interviews for radio and thirteen kinescopes, of 14½ minutes' duration, for television to be used for public relations.

A new American Veterinary Medical Association directory will be printed in 1954.

The American Veterinary Medical Association's Washington, D. C., representative (General McCallam) has done liaison work on the United States Bureau of Animal Industry salary survey, held conferences with the Surgeon General of the Army, Selective Service, Civil Service Commission, and Department of Labor. He has attended hearings on the Doctors' Draft Law, the \$100 per month bonus for veterinarians in armed service, and the business and professional voluntary pension plan.

The Executive Secretary, Doctor J. G. Hardenbergh, reported there were 533 new members after deduction of losses. Membership at the present time is 12,476.

Doctor Hardenbergh reported that 57 per cent of the AVMA income was derived from the membership and 43 per cent from other sources. Also, that the net worth of the association is \$109,041.48. The association has worked on a balanced budget for the last year.

The AVMA convention will be held in Seattle, Washington, in 1954, Minneapolis, Minnesota, in 1955, and San Antonio, Texas, in 1956. An invitation from Cleveland, Ohio, was presented for the 1957 convention.

Resolutions

A resolution recommending uniform state regulations on brucellosis was defeated on the grounds that it was outside the jurisdiction of the AVMA.

A resolution supporting laws and regulations requiring the cooking of garbage was passed.

A resolution to make initial appointments of veterinarians as first lieutenants in the armed forces was passed.

A resolution relative to maintaining and strengthening Veterinary Corps food inspection was passed.

Proposed Amendments to the AVMA Constitution and By-Laws

1. Make changes in the Constitution and By-Laws for the operation of student chapters.
2. Treasurer to be appointed by the Board of Governors, subject to confirmation by the Executive Committee.
3. Provide for representative of the United States Air Force Veterinary Corps in the House of Representatives.
4. Rename the Executive Committee of the House of Representatives.
5. Members dropped from constituent associations will not be dropped from the AVMA unless membership reciprocity has been adopted between the two associations.
6. Further clarify membership requirements.
7. Provide for president-elect to serve as acting president in event of vacancy.
8. Provide for the election of one vice-president from each zone and one vice-president from the membership at large.

The Executive Committee of the House of Representatives made the following recommendations:

1. Issue membership certificates as well as membership cards to members. This was not recommended by the House of Representatives because of expense to the association.
2. Appoint a nominating committee to nominate officers of the association and conduct election by mailed ballot. This was referred back to the Executive Committee for more detail on procedure.
3. Make members of the House of Representatives eligible for election to the Executive Committee of the House of Representatives regardless of length of time yet to be served. In the past it was held that only members who had three or more years to serve in the House of Representatives were eligible.
4. Change the name of the "Executive Committee" of the House of Representatives to "Advisory Committee" of the House of Representatives.
5. Re-elect Doctor C. W. Bower of Kansas to the National Board of Veterinary Examiners.
6. That the House of Representatives give a vote of confidence on the report of the Council on Education.

C. E. WICKTOR, D.V.M.,
Delegate, State of California

OPPORTUNITIES

For Lease

Small animal hospital, fully equipped, in Southern California's fastest growing area. Established over 20 years. Great opportunity for capable veterinarian. Write Box A-1, care of THE CALIFORNIA VETERINARIAN.

* * *

For Sale

Mixed practice, irrigated desert area, Southern California. Price includes equipped hospital with two bedroom furnished home connected. Young practice, bright future of continual growth and expansion. Write Box A-3, care of THE CALIFORNIA VETERINARIAN.

* * *

Almost new small animal hospital, 1700 square feet, completely equipped, apartment, 35 kennels, outdoor runs, zoned in beautiful booming town in San Diego county, Calif. Practice established eight years. \$10,000 down. Good terms. Write Box A-5, care of THE CALIFORNIA VETERINARIAN.

* * *

Excellent small animal practice in Southern California. 50 cages, 18 outside runs, X-ray, equipment and drugs. No real estate. Good lease. Priced at less than one year's gross. Write or call Dr. John H. Chapman, 1013 N. Sycamore Ave., Hollywood 38.

* * *

Mixed Practice for Sale

Practice primarily dairy in San Joaquin Valley. Hospital and all equipment including 2-way radio. Gross \$35,000 year. Price \$25,000. Terms can be arranged. Write Box A-4, THE CALIFORNIA VETERINARIAN.

* * *

Clinic for Breeding Control

Humane organization seeks licensed veterinarian interested in establishing Spaying Clinic at their Pet Shelter and Boarding Kennels in Montebello, nine miles east of downtown Los Angeles. Interesting offer for right party. Write: Good Shepherd Foundation, Inc., 3118 East Fourth Street, Los Angeles 63; or phone Angelus 1-2566.

Wanted

Desire to purchase or lease with option to buy established small animal practice in California. Will be discharged from Veterinary Corps next January. Graduate of accredited school, have a family, have had several years' experience and am licensed in California. Write Box A-2, care of THE CALIFORNIA VETERINARIAN.

Veterinarian with California license for small animal practice in modern hospital in Los Angeles suburb. Excellent working conditions, salary and percentage. Capable practitioner can net in excess of \$10,000 annually. Inquiry confidential. Write Dr. C. H. Ozanian, 10326 E. Artesia, Bellflower.

* * *

Notice—Local Associations

At the meeting of the local associations at Long Beach it was emphasized that the state association prefers to operate as the recipient of policies as presented by the local associations. Suggestions should come through a representative member of each local acting as a liaison man.

Anesthesia in Dogs and Cats

(Continued from page 25)

Using 4 per cent solution, the approximate dosage of surital when administered intravenously to dogs and cats is 1 cc. per 5 pounds of body weight, depending on age and condition of the patient.

REFERENCES

- ¹Reutner, T. F., and Gruhzit, O. M.: Surital Sodium, A New Anesthetic and Hypnotic. Studies in Dogs, *J. A. V. M. A.*, 113, (1948): 357-359.
- ²Brinker, W. O., Eads, F. E., Sales, E. K., Schirmer, R. G., and Wheeler, A. C.: Surital Sodium: A New Agent for Intravenous Use, *Vet. Med.*, 46, (1951): 31-32.
- ³Roberts, H. B., Wendt, W. E., Wagner, C. C., and Reutner, T. F.: Surital Sodium Anesthesia in Canine Surgery, *J. A. V. M. A.*, 118, (1951): 151-153.
- ⁴Lumb, W. V., and Armistead, W. W.: Surital Sodium Anesthesia in Small-Animal Surgery, *North Am. Vet.*, 33, (1952): 175-176.
- ⁵Borgman, Robert F.: Dosage Studies of Surital Sodium in Dogs, *J. A. V. M. A.*, 122, (1953): 161-163.
- ⁶Ezell, W. A.: Surital Sodium: A New Technique of Its Administration to Dogs, *Mich. State College Vet.*, 13, (1953): 246.
- ⁷Knirk, H. W., and Eads, F. E.: Clinical Experience with Surital Sodium as an Anesthetic in Over 400 Dogs and Cats, *North Am. Vet.*, 34, (1953): 195-196.
- ⁸Green, L. E., and Gruesser, F.: Surital Sodium: An Anesthetic of Low Toxicity. In press.
- ⁹Wyngaarden, J. B., Woods, L. A., Ridley, R., and Severs, M. H.: Anesthetic Properties of Surital and Certain Other Thiobarbiturates in Dogs, *J. Pharmacol. & Exper. Therap.*, 95, (1949): 322.
- ¹⁰Young, W. C., Jr., and Eads, F. E.: Surital Sodium and Morphine Anesthesia in Canine Surgery, *Vet. Med.*, 47, (1952): 97-98.
- ¹¹Brinker, W. O.: Use of Surital Sodium and Curare in Small-Animal Surgery, *North Am. Vet.*, 32, (1951): 832-834.
- ¹²Harroun, P., and Fisher, C. W.: The Physiological Effects of Curare: Its Failure to Pass the Placental Membrane or Inhibit Uterine Contractions, *Surg. Gynec. Obst.*, 89, (1949): 73.
- ¹³Spencer, W. A., and Coakley, C. S.: Clinical Impression of a New Intravenous Barbiturate, Surital Sodium: A Preliminary Report, *Med. Ann. Dist. of Columbia*, 20, (1951): 59.
- ¹⁴Kelly, A. R., Shideman, F. E., and Adams, B. J.: Comparison of Blood Levels of Thiopental (Pentothal), 5-allyl-5-(1-methylbutyl)-2-thiobarbituric acid (Surital) and Thioethamyl in the Dog, *Fed. Proc.*, 7, (1948): 233.
- ¹⁵Brock, C.: Surital Sodium Anesthesia, *Vet. Med.*, 47, (1952): 138-139.
- ¹⁶Wheeler, A. C.: The Use of Surital Sodium in Roentgen-Therapy and Diagnosis, *North Am. Vet.*, 33, (1952): 555-556.

Membership California State Veterinary Medical Association

Abbott, Robert B., Concord, N. H.
Ackermann, Leon, Bakersfield
Adams, R. S., Long Beach
Adler, D. A., Glendale
Ainley, Richard G., Santa Maria
Akin, H. S., Hanford
Allen, John K., San Luis Obispo
Allen, Richard K., Marysville
Andersen, A. C., Davis
Anderson, A. R. Jr., Van Nuys
Anderson, Walter H., Long Beach
Anderson, Shirley S., Redwood City
Andrews, Aaron L., St. Joseph, Mo.
Andrews, F. W., Modesto
Anthony, Delbert O., San Bernardino
Apt, Samuel, Los Angeles
Arburua, John M., San Francisco
Arburua, Joseph M., San Francisco
Armstrong, Wm. H., Petaluma
Ast, J. F., San Mateo
Atkinson, H. M., Lemoore
Attaway, R. S., Yuba City
Au, Robert J., North Hollywood
Austin, Victor H., Van Nuys
Babcock, W. E., Corvallis, Ore.
Bacon, Donn E., Los Angeles
Bacon, E. V., Los Angeles
Bailey, Don E., Roseburg, Oregon
Bailey, W. H., St. Joseph, Mo.
Baker, Bart K., Santa Ana
Baker, Jack E., N. Hollywood
Baker, Norman F., Davis
Balch, Roscoe K., San Francisco
Ball, R. A., Modesto
Bankowski, R. A., Davis
Barnier, Jerome P., McMinville, Ore.
Barr, Donald E., Fresno
Barr, G. W., Petaluma
Barsaleau, Richard, San Luis Obispo
Barschak, Richard M., Los Angeles
Bartelt, Leland E., Fresno
Bateman, W. C., San Bernardino
Batista, Albert, Bakersfield
Baxter, C. M., Los Angeles
Baxter, E. C., Pasadena
Bayer, Edmond V., Santa Rosa
Bayliss, James W., Yreka
Beard, T. G., Los Angeles
Beck, R. A., Modesto
Beller, George I., Huntington Park
Beller, Leonard I., Lynwood
Bellis, Wm. C., Stockton
Bentham, W. S., Oakland
Berchem, J. W., Modesto
Bergan, J. A., Long Beach
Bergh, J. E., Susan
Bernas, Herminio, Los Angeles
Berner, W. T., San Rafael
Bernkrant, Alfred, Las Vegas, Nev.
Berry, T. A., Berkeley
Bertetta, G. P., Burlingame
Bickmore, J. L., Santa Maria
Bigelow, W. L., Palo Alto
Bills, C. B., Modesto
Bittle, James L., Los Angeles
Bishop, Robert S., Fresno
Blackard, John S., Richmond
Bland, Edward C., San Francisco
Blue, J. G., Tucson, Ariz.
Boero, Arthur J., Manteca
Boetger, John G., Santa Cruz
Boevers, M. L., Lafayette
Bogart, Elmer, Vista
Bohlender, I. N., Turlock
Boice, W. H., Stockton
Bolender, F. J., Modesto
Bonnevill, E. J., Van Nuys
Bonnikson, H. P., Sacramento
Boobar, R. C., Chico
Bouton, Jay H., Arlington
Bower, J. H., Santa Ana
Boyd, A. G., Sacramento
Boyd, Henry P., Mill Valley
Boynston, W. H., Berkeley
Brake, Ben R., Oroville
Brandner, W. E., Petaluma
Braun, E. R., Hanford
Brazil, Lionel H., Visalia
Brennan, F. M., Chico
Brimer, W. W., Alameda
Bristow, David L., Petaluma
Britton, J. W., Oakdale
Brooks, C. S., Hollister
Brown, C. E., Atcheco
Brown, Joseph F., San Jose
Brown, W. L., Fresno
Browne, L. A., Los Altos
Browne, W. A., Merced
Browning, F. H., San Jose
Brunson, R. A., Turlock
Bryner, Clinton R., Soledad
Budurin, Alexander, Tucson, Ariz.
Bunker, V. C., Escondido
Burdo, B. S., Sebastopol
Burg, Nathan W., Chula Vista
Burger, Charles H., Bakersfield
Burns, Henry C., Oakland
Burns, Leslie, Sonoma
Burns, Robert F., La Mesa
Burrroughs, Harold, Van Nuys
Cameron, H. S., Davis
Campbell, C. H., Healdsburg
Campbell, Frank J., Stockton
Campbell, H. W., Santa Rosa
Cangli, G. W., North Sacramento
Cantrall, Emmett, Ukiah
Carleton, T. J., Lodi
Carlson, Paul A., Fresno
Carr, A. K., Van Nuys
Carricaburu, J. B., Santa Ynez
Carroll, H. F., San Francisco
Cascinal, A. P., San Bernardino
Cash, N. D., Santa Ana
Casselberry, N. H., Berkeley
Caswell, D. L., Salinas
Chafets, Albert, San Francisco
Chaney, L. E., Salinas
Chapman, John F., Lomita
Chapman, J. H., Hollywood
Chastain, E. F., Redding
Childs, J. W., Denver, Colo.
Chin, Wing Q., Burlingame
Christensen, J. F., Davis
Christensen, J. M., Concord
Christensen, L. B., Hollywood
Chudacoff, John D., Van Nuys
Clikker, R. A., Modesto
Citadin, J. F., Fullerton
Clair, J. E., Madera
Claire, Carl J., Menlo Park
Clark, Arold W., Burbank
Clark, Carl, Columbus, Ohio
Clark, David S., Temple City
Clark, Robert E., Healdsburg
Clarke, H. E., Petaluma
Clemens, N. E., Hayward
Clemens, R. N., Hayward
Cline, Clifford, Petaluma
Closson, G. W., San Gabriel
Clute, Henry G., Rosemead
Coad, J. A., San Pedro
Cobble, Roy J., Vacaville
Coffey, Thomas H., Compton
Coffland, R. T., Fresno
Coffland, W. T., Atascadero
Cohan, Ernest M., Palo Alto
Cohn, Leland, San Francisco
Coleman, Chas. L., Reno, Nev.
Collins, D. K., Long Beach
Collins, G. B., Paso Robles
Collinson, R. L., Turlock
Collinson, R. W., Chowchilla
Colton, C. H., Santa Barbara
Colston, Max W., Fuvallup, Wash.
Condon, T. B., San Jose
Condon, Walter F., Tucson, Ariz.
Conklin, M. H., Mill Valley
Conklin, R. C., San Lorenzo
Connely, J. T., Paradise
Conrad, H. J., Los Angeles
Conti, L. F., Grass Valley
Cook, A. T., Modesto
Cook, C. J., Modesto
Cook, Delbert R., Bell
Cook, L. J., Los Angeles
Cook, Orie A., Rivera
Cooke, G. K., Berkeley
Cooke, Keith G., Tillamook, Oregon
Coons, M. C., Selma
Cooper, C. D., Visalia
Cooper, E. S., San Francisco
Cooper, Stanley R., West Hollywood
Cope, R. P., Berkeley
Corbin, Ben F., Culver City
Cordy, Donald R., Davis
Correll, Marlon M., McMinville Ore.
Cornelius, C. E., Arcadia
Cotten, Robert G., Los Angeles
Cozzens, J. D., West Los Angeles
Craige, J. E., Seaside
Crandall, Nelson D., Artesia
Crane, Charles S., Porterville
Cranfield, J. G., San Carlos
Creely, A. J., San Francisco
Crenshaw, G. L., Orland
Cripe, Owen H., Eureka
Cripe, Wyland S., Elk Grove
Crow, Wilfred M., San Pedro
Crow, Nelson, Los Angeles
Crowl, Walter, Burbank
Crumbaugh, A. J., Visalia
Crump, J. A., Glendale
Crundwell, J. B., Burbank
Cunningham, N. E., Bakersfield
Cuthbertson, A. A., Elko, Nevada
Cuthbertson, Arthur A., Fresno
Dakin, Wm. V., North Hollywood
Darrow, Lee H., East Pasadena
Daseler, Wm. E., Stockton
Davidson, James C., N. Hollywood
Davison, Laurie R., Stockton
Davies, John R., Roseville
Davis, Allan N., Lemon Grove
Lawson, Francis E., Bakersfield
Dayman, G. L., Tujunga
Dean, Ben. H., Piedmont
Dean, Charles E., Anaheim
Dean, Eve yn, Inverness
Dederick, R. E., Napa
Dedrick, Warren J., El Cajon
DeLay, Paul D., Sacramento
DeMettei, John, San Jose
Detlefsen, H. E., Ferndale
Devine, Kenneth, San Jose
Dicke, W. M., Sacramento
Dickson, Robert S., Bakersfield
Dill, W. L., San Fernando
Dingwall, S. M., La Jolla
Dobbs, E. M., Los Angeles
Donnelly, Robert N., Chico
Douglass, A. H., Los Angeles
Dove, Robert, Porterville
Dow, Carroll E., Los Angeles
Drew, B. F., San Francisco
Duckworth, R. E., Berkeley
Dungan, W. M., Petaluma
Dunlap, Mary K., San Francisco
Eastepp, W. W., South Pasadena
Ebaugh, James, Gilroy
Eberhart, Geo. W., Berkeley
Edgar, J. R., Bakersfield
Edick, Melvin, Willows
Edmonds, E. V., Oakland
Edmondson, A. H., Pasadena
Edwards, Frank, Kernville
Edwards, P. R., Paso Robles
Egan, P. I., San Francisco
Eggers, Otto J., Jr., Manhattan, Kans.
Eglt, David, Long Beach
Eichelberger, A. M., Santa Ana
Eisenhower, A. J., Merced
Elander, B. J., San Diego
Elson, Berton E., Little Rock
Emminger, A. C., Modesto
Erickson, R. B., Long Beach
Flinn, Kenneth E., Manteca
Evans, Milton R., Long Beach
Fville, T. B., Fresno
Ferreira, C. J., Redding
Field, H. C., Arcadia
Fisher, Sam S., Marysville
Flinn, Charles M., Sacramento
Foelschow, Leslie O., Palm City
Fos, R. Y., Apple Valley
Foster, E. B., South San Gabriel
Foster, R. J., San Francisco
Foster, S. M., Woodland
Freid, Arthur J., San Francisco
Freid, Norman, San Francisco
Freiermuth, G. J., Hollister
Freitas, E. S., Oakland
Frey, J. J., Berkeley
Fuller, R. H., Seattle, Washington
Fuller, S. A., Arcata
Geierman, J. L., San Bernardino
Giambroni, A. F., Red Bluff
Giambroni, Joseph, Red Bluff
Gilhooly, D. J., Christiansted, St. Croix, Virgin Islands, U.S.A.
Gilmore, James, San Mateo
Gissell, Harvey C., Playa Del Rey
Gobler, R. P., Sonoma
Goetz, Martin E., San Diego
Goldberg, S. Morris, Oakland
Goldings, C. P., Los Gatos
Goldston, Leo S., Oakland
Gouchenour, C. F., Los Angeles
Goulding, R. C., Alturas
Graff, V. E., Oakland
Graham, J. E. B., Oil Springs, Ontario, Canada
Green, G. C., Los Angeles
Grell, Hans A., Pasadena
Griffenhagen, R. B., Fresno
Griffith, R. L. Jr., Inverness
Griffiths, C. B., Willows
Groshong, R. A., Selma
Groth, H. H., San Mateo
Grosven, Newell, Los Angeles
Grell, Preston L., West Los Angeles
Gutknecht, A. J., Redwood City
Guyelman, P. C., Burlingame
Haberman, J. J., Chicago, Illinois
Hafen, Earl G., Salinas
Hagen, T. F., Escalon
Hase, T. J., Davis
Haight, Robert H., San Gabriel
Haims, Philip, San Diego
Halpin, Neil, Santa Ana

Hambrook, G. D., Seaside
 Hammond, W. H., Monterey
 Hampton, G. G., Hanford
 Hanawalt, Eugene M., Medford, Ore.
 Hand, P. H., Millbrae
 Handel, Robert, Napa
 Haney, W. F.
 Hanna, A. F., Ferndale
 Hansen, J. C., Stockton
 Hanson, Morris, Calgary, Alb., Can.
 Hardin, C. E. Jr., Petaluma
 Hardy, A. E., Upland
 Hare, C. L., San Fernando
 Harris, R. E., Vallejo
 Harris, Robert J., Turlock
 Harris, Tom D. Jr., San Mateo
 Harrison, Earl H., Vallejo
 Harrison, J. W., Santa Cruz
 Harry, C. E., So. Pasadena
 Hart, George H., Davis
 Harter, W. L., West Los Angeles
 Hartle, Dwight C., Pleasanton
 Harvey, M. H., N. Hollywood
 Harvey, R. E., Sacramento
 Hatcher, Malcolm G., Modesto
 Haug, Ronald N., Sacramento
 Hawes, R. L., N. Hollywood
 Hayes, Kenneth C., W. Hollywood
 Hearn, B., Taft
 Helfer, R. G., Whittier
 Henig, Harold P., Riverside
 Henno, G. B., E. Francisco
 Henrich, L. O., Tulare
 Henry, Jerrold N., San Leandro
 Hensley, J. H., Burbank
 Hicks, Joseph, Niles
 Hill, Harry H., Enid, Okla.
 Hill, Victor V., Lakeview, Oregon
 Hilton, H. D., Mill Valley
 Hinshaw, W. R., Frederick, Md.
 Hird, J. J., Bishop
 Hoadley, R. E., Coachella
 Hodesson, Samuel, San Francisco
 Holliday, T. A., Santa Monica
 Hoop, Jay D., Fresno
 Hoop, John R., Fresno
 Hoover, C. D., El Centro
 Horning, G. A., Alturas
 Hosker, R. L., Altamont
 Houchin, E. H., Ventura
 Howarth, J. A., Davis
 Hudson, Donald D., West Sacramento
 Hughes, J. F., Madera
 Hughes, Walter F., Lancaster
 Hulbush, W. R., San Gabriel
 Hull, F. T., Fresno
 Hull, Martin, Orange
 Humphrey, E. H., Santa Maria
 Humphrey, Geo. L., Richmond
 Humphrey, Millard R., Pasadena
 Humphrey, Wenden P., Oxnard
 Hunter, Charles C., Arlington
 Hurt, L. M., Sierra Madre
 Hurt, Ross H., Los Angeles
 Hyland, Alfred D., Groesmont
 Hyllton, Jack W., Los Gatos
 Ingraham, Rodney H., Merced
 Inman, A. R., Visalia
 Irvin, C. E. Jr., Redlands
 Jackson, Gilbert, Santa Paula
 Jackson, R. A., Ontario
 Jackson, T. W., Sacramento
 Jakotich, R. J., Eureka
 Jamison, Stanton, Turlock
 Janssen, Howard A., Oakdale
 Jarvis, K. C., Red Bluff
 Jasper, Donald E., Davis
 Jerome, Norman, San Diego
 Jessup, R. V., Glendale
 Jobe, Darr, Temple City
 Johnson, Kenneth L., Fresno
 Johnson, Loris, San Jose
 Johnson, L. F., Sacramento
 Johnson, M. M., Downey
 Johnson, P. E., Modesto
 Jones, Ellis E., San Gabriel
 Jones, Eugene C., Long Beach
 Jones, J. A., Los Angeles
 Jones, M. W., Mountain View
 Julian, C. W., San Luis Obispo
 Julian, Logan M., Davis
 Jungerman, David M., Woodland
 Kanawyer, W. L., Milford, Kans.
 Kasel, E. W., Hollywood
 Kathrein, R. A., Highland Park, N. J.
 Kay, E. W. Jr., San Jose
 Keagy, H. F., Beverly Hills
 Kelber, W. J., Ontario
 Kelly, Wilson C., Stockton
 Kenaston, G. H., Nyssa, Ore.
 Kendall, O. K., Yreka
 Kendrick, J. W., Davis
 Kennedy, E. D., Monrovia
 Kerr, O. W., Tracy
 Ketchersid, J. R., Palm Desert
 King, J. M., San Jose

Kitzman, L. M., North Hollywood
 Kleck, Jacob E., Paso Robles
 Klein, B. F., Los Angeles
 Kling, F. E., Concord
 Knott, G. K. L., El Centro
 Koch, Bernard, Santa Cruz
 Koebel, F. W., Gustine
 Kortum, W. M., Petaluma
 Krell, Walter A., Los Altos
 Kohler, Jack L., Oakland
 Lacey, Lee T., Delano
 Lambert, C. T., Visalia
 Lapham, R. F., San Bernardino
 Larsen, A. S., Lompoc
 Larsen, Louis, San Fernando
 Larson, R. F., Davis
 LaRue, I. G., Fresno
 Laskey, H. H., Chino
 Law, Raymond H., Grass Valley
 Lawson, Robert, Los Altos
 LeDonne, E. G., Oakland
 LeDonne, E. G. Jr., El Cerrito
 Leonard, L. D., Fresno
 Levy, Milton C., San Francisco
 Lewis, John S., Reseda
 Lewis, R. F., Sacramento
 Lewis, Wilson B., Coos Bay, Oregon
 Libby, L. R., Colusa
 Lichtlyer, F. E., Ontario
 Lightle, W. T., Yuma, Arizona
 Lightman, L. O., Whittier
 Lind, D. E., Lafayette
 Lindennayer, J. E., Eureka
 Lindley, D. C., Escondido
 Lindsey, Mark B., Santa Ana
 Linnell, Marvin R., Barstow
 Liscomb, John, Ontario
 Livingston, W. S., N. Hollywood
 Lockhart, Paul C., Studio City
 Loeffler, H. A., Los Banos
 Loge, M. W., Laguna Beach
 Longley, O. A., Redwood City
 Lober, J. H., Lafayette
 Love, F. C., Modesto
 Loveless, H. M., Modesto
 Loveless, H. S., Modesto
 Lovell, R. E., Chula Vista
 Low, David, Galt
 Lukas, G. M., Hughson
 Lundberg, B. V., Davis
 Lunstra, M., Visalia
 Lunt, Donald W., Corning
 Lustig, Peter, Merced
 Lynch, Patricia, Phoenix, Ariz.
 Mackey, H. W., Oxnard
 Macy, R. D., Whittier
 Maddy, Keith T., Berkeley
 Maderious, W. E., Madera
 Madison, Russell M., Hamilton
 Madison, D. E., San Jose
 Maeda, Chester A., San Bernardino
 Mahler, E. J., Salinas
 Mahoney, Mervyn C., Petaluma
 Makino, Ernest M., Patterson
 Marcus, Melvin, Long Beach
 Markel, J. A., Covina
 Martin, G. E., San Jose
 Mashek, Victor R., Whittier
 Massey, J. R. Jr., Arlington
 Mathews, F. P., Arroyo Grande
 Matulich, W., San Bernardino
 Maude, Arthur E., Chicago, Illinois
 Maurer, E. L., Chula Vista
 Mayeda, Bryan, Loomis
 Menter, J. G., Los Banos
 Meyer, J. F., Merced
 Meyer, K. F., San Francisco
 Meyer, Lawrence D., Waverly, Ala.
 Meyers, L. D., Sacramento
 Michael, R. B., Culver City
 Michael, S. T., San Francisco
 Micuda, J., Phoenix, Ariz.
 Milanevich, Ralph, Sutter Creek
 Milbradt, Duane L., Gridley
 Miller, C. B., San Francisco
 Miller, J. H., Covina
 Miner, Nathan, Pasadena
 Minsky, Lawrence, San Gabriel
 Mitchell, W. C., Petaluma
 Moore, Thompson, N. Hollywood
 Morehouse, E. W., Los Angeles
 Morris, E. C., Ukiah
 Morris, J. T., San Bruno
 Mottram, W. E., San Francisco
 Moye, M. D., Los Angeles
 Mueller, R. A., Sacramento
 Muller, G. H., Pittsburg
 Murray, B. F., Oakland
 Myers, W. F., San Diego
 McArdle, D., Sonoma
 McBride, N. L., Jr., Pasadena
 McCapes, A. M., San Luis Obispo
 McChesney, J. H., Petaluma
 McClave, P. L., Reseda
 McClintock, G. M., W. Hollywood
 McClung, H. E., Hayward
 McClurkin, Elvin, Mather Field

McCollister, George, San Luis Obispo
 McCullough, T. W., Ontario
 McDermott, Velma W., Goleta
 McDole, D. H., Los Angeles
 McDonald, I. C., Visalia
 McDonald, W. A., Sacramento
 McFarland, R. J., San Diego
 McGowan, Blaine, Jr., Davis
 McInnes, John, San Francisco
 McIntyre, R. W., Los Angeles
 McIntyre, T. M., San Francisco
 McKay, K. G., Davis
 McKenney, F. D., Lemon Grove
 McKim, H. C., Los Angeles
 McLaughlin, M. L., South Gate
 McLean, R. T., Los Angeles
 McNair, F. H., Berkeley
 McRory, C. B., San Francisco
 Nelson, C. L., Bakersfield
 Nelson, G. W., Stockton
 Nelson, Nels, Oakland
 Neushutz, W. K., Whittier
 Nevin, Robert B., Bellflower
 Nevitt, John, N. Hollywood
 Newell, A. D., Sacramento
 Niemeyer, T. J., Santa Monica
 Niemeyer, W. E., Los Angeles
 Northrup, M. A., San Francisco
 Norton, Rufus, Riverbank
 O'Brien, J. C., Sebastopol
 Oederkirk, C. C., Long Beach
 Ogburn, L. L., Bellflower
 O'Hara, J. L., Reno, Nev.
 Ohlson, T. W., Modesto
 Olsen, R. W., Piedmont
 Olson, Philip C., Los Angeles
 Ormmer, W. D., Hollywood
 Ormsbee, R. W., Stockton
 Orsborn, J. S., Jr., Half Moon Bay
 Osobold, J. W., Davis
 Ott, H. I., Norwalk
 Outhier, C. B., Salinas
 Ozanan, C. H., Bellflower
 Pace, John C., El Centro
 Padfield, C. J., La Mesa
 Padfield, E. T., La Mesa
 Palmer, J. S., El Cerrito
 Palmer, C. R., Palo Alto
 Papineau, William, Burbank
 Park, Roy C., Santa Maria
 Parker, Harold R., Watsonville
 Parker, Horace, Balboa Island
 Parker, S. H., Los Angeles
 Parrell, Hyman, H., Los Angeles
 Parrish, R. D., Forterville
 Parrshall, C. J., San Francisco
 Pastor, J. H., Hollywood
 Paul, E. W., Redwood City
 Paul, G. J., Stockton
 Paulson, V. C., Corte Madera
 Payson, L. J., Sacramento
 Peacock, Paul W., Bakersfield
 Pearl, W. G., Sacramento
 Peetz, C. J., Corte Madera
 Perdue, F. B., Davis
 Perkins, G. L., Davis
 Perry, J. K., Palo Alto
 Peters, J. E., Arcadia
 Petersen, W. M., Lodi
 Peterson, Ellis, Aptos
 Peterson, I. A., Pasadena
 Pettit, G. D., Davis
 Pflock, J. P., Visalia
 Philbrick, R. E., Riverside
 Phillips, M. H., Las Vegas, Nev.
 Pier, A. C., Arcata
 Pike, Burton, Long Beach
 Pike, L. E., Long Beach
 Pimentel, W. J., Fresno
 Piper, Herbert N., Fresno
 Plocher, E. M., Watsonville
 Plocher, H. D., Woodland
 Pollack, M. A., Cleveland, Ohio
 Poston, W. S., Berkeley
 Powers, Kenneth, Los Banos
 Preusser, K. R., Orland
 Price, Lyle D., Reseda
 Priddy, C. W., Oakdale
 Priest, B. H., Bakersfield
 Pulling, F. B. Jr., Atascadero
 Putterbaugh, A. R., La Jolla
 Putterbaugh, G. H., Coos Bay, Oregon
 Putney, W. W., Van Nuys
 Quortrup, E. R., San Diego
 Ramsay, W. J. C., Watsonville
 Ramsdale, Phillip, Los Angeles
 Ranney, C. L., Garden Grove
 Raskin, Henry, Detroit, Mich.
 Reator, H. G., Sacramento
 Rebold, G. F., Berkeley
 Reddett, F. E., Santa Cruz
 Reddick, H. E. Jr., Dos Palos
 Reid, C. H., Hollywood
 Reiner, G. E., Sacramento
 Rey, R. B., Del Mar
 Rice, B. H., Pomona
 Rice, James, Redding

Rich, S. T., Altadena
 Richards, Berwyn, Santa Rosa
 Richelieu, F. L., San Rafael
 Richter, R. E., San Jose
 Riddell, W. K., Los Angeles
 Ridgeway, Joe, Ventura
 Rignetti, A. T., Bellflower
 Roberts, Irving M., Oakland
 Roberts, J. W., Berkeley
 Roberts, M. P., Ferndale
 Roberts, N. C., San Diego
 Roberts, Seymour, Richmond
 Robertson, A. S., Madera
 Rockey, W. H., Eureka
 Rockwell, H. G., National City
 Rockwell, W. V., Glendale
 Roesner, E. M., Grass Valley
 Romo, R. R., Downey
 Ronse, A. J., Turlock
 Rood, Sterling E., Honolulu
 Root, R. R., Livermore
 Rosenberg, Donald W., Modesto
 Rosenberger, A. C., Stockton
 Rosenwald, A. S., Madison, Wis.
 Ross, Alan, Long Beach
 Rothenberg, Norman, Victorville
 Ruby, J. L., Fresno
 Ryan, H. E., Mesela Park, New Mexico
 Sargent, A. J., West Riverside
 Saunders, F. H., Stockton
 Saunders, J. F., Garden Grove
 Savage, D. E., San Bernardino
 Schafer, Leroy, N. Hollywood
 Schalm, O. W., Davis
 Schermerhorn, R. J., Redlands
 Schmidt, Milton Jr., Fairfield
 Schock, R. C., Los Angeles
 Schoonhoven, F. A., La Mesa
 Schrecengost, R. H., Arcadia
 Schroeder, C. R., Pearl River, N. Y.
 Schumann, A. M., Lancaster
 Schwab, H. H., Berkeley
 Schwarzmann, Robert, Los Angeles
 Scofield, R. H., Arcadia
 Scott, A. Mack, Long Beach
 Scott, Ralph C., Woodland
 Scott, R. M., San Bernardino
 Seeley, Milton J., Lodi
 Seligman, Arthur, Riverside
 Sepponen, C. M., Sacramento
 Shane, C. K., San Diego
 Shea, R. A., Brawley
 Sheffield, E. F., San Diego
 Shepherd, H. E., Sacramento
 Shirley, J. B., Ukiah
 Shultz, Gordon, Sacramento
 Siegel, E. A., San Francisco
 Silva, Paul, Reno, Nev.
 Silver, M. J., Lafayette
 Simmons, G. M., San Francisco
 Simpson, R. V., Vista
 Sisco, Ray, Tulare
 Skillen, D. R., Pasadena
 Smallbone, George, Alhambra
 Smart, W. C., Palo Alto
 Smith, C. F., Santa Cruz
 Smith, K. F., Beverly Hills
 Smith, L. C., Ventura
 Smith, M. J., San Diego
 Smith, R. R., Torrance
 Smith, R. G., Rosemead
 Smith, S. M., Palo Alto
 Smith, W. E., Sanger
 Snellbaker, Harry A., Oroville
 Snortum, E. P., Los Angeles
 Snow, Harold, Santa Monica
 Snow, Roderick, Canoga Park
 Soave, A. C., Oakland
 Sommer, H. L., San Francisco
 Sommer, Otto W., San Mateo
 Sorensen, A. I., Stockton
 Spaulding, R. S., San Jose
 Splaver, David, El Monte
 Sprowl, R. W., Los Angeles
 Stafford, C. D., Novato
 Stafford, P. R., Hayward
 Stansbury, R. L., Pasadena
 Stansbury, Wm., Antioch
 Stanton, Harlan M., Park Forest, Ill.
 Stanton, Jay, Galt
 Stay, C. M., Gilroy
 Steere, James H., Oregon City, Ore.
 Steinmetz, W. E., Sacramento
 Stephens, Clayton, Anaheim
 Steward, R. J., South Pasadena
 Stiern, R. A., Bakersfield
 Stiern, W. W., Bakersfield
 Stillinger, C. J., Pomona
 Stocking, R. A., Los Angeles
 Stone, Perry, Palm Springs
 Stover, D. E., Sacramento
 Stover, T. L., Laguna Beach
 Stowe, R. L., San Francisco
 Strandberg, H. M., Washington, D. C.
 Stuart, J. E., Sacramento
 Suda, Otto H., Fresno
 Sullivan, J. L., Venice
 Sundstrom, C. C., Manhattan Beach
 Swart, R. L., Los Angeles
 Swartz, R. P., Vallejo
 Tague, C. W., Artesia
 Talcott, Robert, St. Helena
 Tamm, E. L., Pomona
 Tangeman, Richard, Susanville
 Tangney, R. L., Santa Ana
 Taylor, C. Edward, San Francisco
 Taylor, G. E., Modesto
 Taylor, H. C., Los Angeles
 Taylor, Rex, San Jose
 Taylor, T. F., Santa Barbara
 Temple, J. L., San Bruno
 Tew, A. C., Cheyenne, Wyo.
 Thogmartin, W. F., San Bernardino
 Thom, M. A., Pasadena
 Thomas, L. G., Downey
 Thomas, W. W., Merced
 Tierstein, Victor, Burbank
 Tietze, A. L., Bakersfield
 Todorovic, Val, Watsonville
 Tompkins, R. J., Oakland
 Torgersen, E., Mountain View
 Townsend, J. G., Loomis
 Troxell, G. S., San Diego
 Tucker, A. C., Downey
 Tucker, J. A., Yreka
 Turkheimer, B., San Francisco
 Turner, C. W., Auburn
 Turver, J. T., Oakland
 Twisselman, N. M., Cima
 Tyler, W. S., Davis
 Vanderhoof, R. A., Woodlake
 Van Pelt, Daniel L., Fort Bragg
 Vansell, Willis M., Whittier
 Vaughn, L. F., Modesto
 Vierheller, R. C., Whittier
 Vietti, J. D., Newcastle
 Vowles, W. L., Los Gatos
 Walker, F. B., Jr., Escondido
 Walker, J. D., Northridge
 Walker, Wesley, Vallejo
 Wallis, G. W., Placerville
 Wallis, Jay, Hemet
 Ward, F. G., San Diego
 Ward, Victor, Santa Barbara
 Wardlow, A. E., Sacramento
 Warkentin, C. C., Fair Oaks
 Warn, C. C., Gardena
 Wasson, D. F., Lakeport
 Watkins, W. W., Turlock
 Watson, B. C., Bakersfield
 Watson, H. J., Sacramento
 Wattles, J. A., Healdsburg
 Wayland, Frank, Salinas
 Weeks, H. L., Leavenworth, Kansas
 Westfall, R. D., Colusa
 Weston, R. S., Carmel
 Whitaker, A. J., Manteca
 White, A. E., Jr., Santa Barbara
 White, B. B., Sacramento
 White, F. H., San Rafael
 White, Leslie, San Bruno
 White, R. H., Yuba City
 Whitehead, F. G., Santa Rosa
 Whitman, J. R., San Luis Obispo
 Whitson, C. F., Richmond
 Wicktor, C. E., Los Angeles
 Wight, C. H., Riverside
 Wight, J. B., Oceanide
 Wilcox, F. P., Los Angeles
 Wilcox, K. R., Chandler, Arizona
 Willetts, Janet M., West Los Angeles
 Williams, F. W., Chico
 Williams, George, Compton
 Williams, R. T., Santa Barbara
 Williamson, W. W., Atwater
 Willmore, J. H., San Anselmo
 Wilson, G. M., So. Pasadena
 Wilson, J. E., Los Angeles
 Winston, J. S., Van Nuys
 Wintringham, H. B., Lakeport
 Wlon, J. E., Santa Rosa
 Witcosky, L. C., Fresno
 Wolcott, D. H., Bellflower
 Wolcott, J. E., San Bernardino
 Wolcott, L. B., Los Angeles
 Wood, Fred W., Lafayette
 Wood, H. W., Compton
 Woodward, B. T., Santa Ana
 Woodward, W. D., Idaho
 Woolsey, J. H., Santa Rosa
 Worcester, W. W., Fresno
 Wright, F. C., Santa Ana
 Wyatt, D. H., Julian
 York, Gordon C., Port Orchard, Wash.
 Young, W. A., Los Angeles
 Zaks, S. K., Los Angeles
 Zontine, W. J., Lancaster

Distemper Vaccine Immunization

(Continued from page 23)

5-cc. injections at two week intervals, starting at four months of age) to fit the existing situation confronting the veterinarian. The two-week interval between injections seemed to be a reasonable period to re-stimulate these animals. In general, approximately 1 cc. per 5 lbs. body weight was used.

The diet of these animals consisted of a mixture of canned dog food, canned horse meat, milk, and commercial dog food meal. Each pup received approximately 2 gms. of Vitamycin* per day, in its food. This ration resulted in an excellent state of nutrition as can be noted in Figures 2 and 4. Ectoparasites were controlled when necessary, by dipping in Tritox,* a lindane-pyrethrum solution. Internal parasitism was controlled by the routine use of Vermiplex.*

Summary

A controlled study involving the use of a modified vaccine immunization program to protect puppies exposed to the distemper complex is presented. Twelve of 14 vaccinates survived; whereas, all 10 of the litter-mate controls succumbed. Five of the twelve puppies that succumbed showed inclusion bodies of only infectious hepatitis; whereas, inclusion bodies of both infectious hepatitis and distemper were observed in tissues from two of the pups. Two controls died showing symptoms of convulsions; whereas, the two vaccinated litter-mates remained normal throughout. Evidence of inclusion bodies were lacking in five of the animals that died. All vaccinates survived re-exposure and inoculation of virus of Carré, 9-11 months after the first exposure.

*Trademark, Pitman-Moore Company, Indianapolis, Indiana.

CALIFORNIA STATE VETERINARY MEDICAL ASSOCIATION COMMITTEES

AVMA Resident Secretary: E. E. Jones, S. Santa Anita St., San Gabriel

Executive Committee

Chairman, W. J. Zontine, 44848 N. Yucca Ave., Lancaster
 Paul D. DeLay, Animal Pathology Lab., State Office Bldg. No. 1, Sacramento
 A. R. Inman, Route 3, Box 389, Visalia
 E. G. LeDonne, 1131 13th Ave., Oakland
 A. Mack Scott, 3350 Atlantic Ave., Long Beach 7
 A. M. McCapes, Box 726, San Luis Obispo
 Charles D. Stafford, Box 46, Novato

Disease Control Committee

Chairman, C. Edward Taylor, Agriculture Bldg., Embarcadero at Mission, San Francisco 5
 Mervyn C. Mahoney, Route 4, Box 10 Petaluma
 A. L. Tietze, 323 Chester Ave., Bakersfield
 E. H. Houchin, 40 West Santa Clara Ave., Ventura
 Melvin P. Roberts, Box 516, Ferndale
 I. N. Bohlender, Box 588, Turlock

State Committee on Ethics

Chairman, Jay Bouton, 11411 Magnolia Ave., RR1, Arlington
 W. P. Humphrey, 906 E. 5th St., Oxnard
 Joseph J. Hird, Route 2, Box 1-A Bishop
 N. D. Cash, 1614 S. Main St., Santa Ana
 C. J. Ferreira, Box 958, Redding
 Donald E. Jasper, School of Veterinary Medicine, University of California, Davis

Committee on History

Chairman, Joseph M. Arburua, 26 Fell St., San Francisco 2

Humane Organizations Committee

Chairman, Donald H. McDole, 8674 Melrose Ave., Los Angeles 46
 Richard Stowe, 2500 16th St., San Francisco 3
 P. L. McClave, 6950 Resada Blvd., Resada
 E. C. Jones, 5900 Bayshore Walk, Long Beach
 W. K. Riddell, 3233 West Florence Ave., Los Angeles 43

Legislative Committee

Chairman, Ralph L. Collinson, Box 911, Turlock
 Howard F. Carroll, 2024 Lombard St., San Francisco 23
 Warren J. Dedrick, 904 S. Lemon St., El Cajon
 Sam S. Fisher, 1520 B St., Marysville
 S. A. Fuller, Box 685, Arcata
 R. D. Macy, 115 E. Whittier Blvd., Whittier
 W. W. Putney, 8722 Sylmar, Van Nuys

Mastitis Committee

Chairman, Robert Ormsbee, 2076 E. Fremont, Stockton
 Gaylord K. Cooke, 1932 Yosemite Rd., Berkeley 7
 S. A. Fuller, Box 685, Arcata
 R. V. Jessup, 910 Crestview Ave., Glendale 2
 C. L. Ranney, Route 1, 10531 Westminster Blvd., Garden Grove
 Harold R. Parker, 131 Landis Ave., Watsonville
 D. W. Lunt, 804 South St., Corning

Membership and AVMA Affairs Committee

Chairman, A. Mack Scott, 3350 Atlantic Ave., Long Beach 7
 F. H. Walker, Jr., 331 W. Ohio St., Escondido
 C. Edward Taylor, Agriculture Bldg., Embarcadero at Mission, San Francisco 5
 R. B. Tangeman, 504 North St., Susanville
 Harry A. Snelbaker, Box 1252, Oroville
 Joe Ridgeway, 1784 Thompson Blvd., Ventura

Program Committee

Chairman, A. M. McCapes, Box 726, San Luis Obispo
 A. Mack Scott, 3350 Atlantic Ave., Long Beach 7
 Frank Wayland, 28 Monterey Rd., Salinas
 C. B. Griffiths, Route 1, Box 250, Willows
 J. F. Christenson, School of Veterinary Medicine, University of California, Davis

Rabies Committee

Chairman, Ben H. Dean, 209 Carmel Ave., Piedmont 11
 T. A. Berry, 2101 Milvia St., Berkeley
 W. C. Bateman, California Hotel, 5th & E, San Bernardino
 E. C. Jones, 5900 Bayshore Walk, Long Beach 3
 E. R. Quortrup, Bldg. 2, 4005 Rosecrans, San Diego 10

Resolutions Committee

Chairman, C. E. Wickett, 203 Administration Bldg., Union Stock Yards, Los Angeles 58
 E. G. LeDonne, 1131 13th Ave., Oakland
 E. C. Jones, 5900 Bayshore Walk, Long Beach
 J. E. Stuart, State Office Bldg. No. 1, Sacramento

Ways and Means Committee

Chairman, W. W. Putney, 8722 Sylmar, Van Nuys
 Philip Haims, 4045 Adams Ave., San Diego 16
 E. W. Paul, Box 866, Redwood City
 K. G. McKay, Veterinary Science Bldg., Davis
 J. E. Stuart, State Office Bldg. No. 1, Sacramento
 Richard A. Stiern, 17 Nile St., Bakersfield
 Ben H. Dean, 209 Carmel Ave., Piedmont 11
 H. A. Snelbaker, Box 1252, Oroville
 Donald H. McDole, 8674 Melrose Ave., Los Angeles 46
 M. H. Harvey, 12215 Crewe, North Hollywood
 Fred Pulling, Box 608, Atascadero

Disc Protrusions in the Dog

(Continued from page 21)

However, such cases should be watched carefully for regression.

4. Diffuse or multiple lesions—many protruding discs

5. Most cervical protrusions.

Surgery may be considered in above cases that don't respond or in:

1. Recurrent attacks which are getting progressively worse.

2. A characteristic paraplegia—loss of bowel or urine functions in recent occurrences. A profound paraplegia of longer duration than ten-days has a poor surgical prognosis.

It is concluded that surgical methods are indicated in select cases and that such procedures are practical for the veterinary clinician.

Secretary's Report

(Continued from page 26)

ferent ideas were discussed. The meeting was considered successful enough to be repeated next year.

Exhibits

The commercial exhibits were well arranged and most interesting. Some sixty-two leading companies occupied booth space. Fifteen well-designed educational exhibits were displayed. All of these were prepared by organizations or groups and attracted considerable attention. Third place winner, Radiology in Veterinary Medicine, was presented by Dr. George H. Hart, T. J. Hage and H. S. Cameron of the School of Veterinary Medicine, Davis.

The very successful meeting closed with the officers of both the Women's Auxiliary and the AVMA being installed.

Colonel Hartman Appointed New Chief Of Army Veterinary Corps

Colonel Jacob L. Hartman was appointed chief of the Veterinary Division, Surgeon General's Office, Department of the Army, effective February 1, 1953. He succeeds Brig. Gen. J. A. McCallam who was retired on January 31, 1953.

OFFICERS AND MEETING DATES OF LOCAL ASSOCIATIONS

Note: Kindly notify our office of any changes or corrections.

Bay Counties V. M. A.

President, Howard F. Carroll
Vice-President, Richard L. Stowe
Secretary, David Madsen, 44 South 4th St., San Jose
Meetings, second Tuesday of the month

Central California V. M. A.

President, L. L. Ogburn
Vice-President, W. W. Worcester
Secretary-Treasurer, Paul A. Carlson, 5556 Bobolink Lane, Fresno
Meetings, fourth Tuesday of the month

East Bay V. M. A.

President, I. M. Roberts
Vice-President, Robert N. Clemens
Secretary-Treasurer, J. N. Henry, 13740 E. 14th St., San Leandro
Meetings bi-monthly, fourth Wednesday

Humboldt County V. M. A.

President, Melvin P. Roberts
Vice-President, E. R. Holland
Secretary-Treasurer, H. E. Detlefsen, Box 516, Ferndale
Meetings, May, September, November, January

Kern County V. M. A.

President, L. F. Ackermann
Vice-President, Robert Dickson
Secretary-Treasurer, Albert Batista, 222 N. Chester Ave., Bakersfield
Meetings, first Thursday of the month

Mid-Coast V. M. A.

President, Frank P. Matthews
Vice-President, G. B. Collins
Secretary-Treasurer, George McCollister, 2146 Broad St., San Luis Obispo
Meetings, first Thursday of every even month

Monterey Bay Area V. M. A.

President, E. J. Mahler
Vice-President, Geo. Freiermuth
Secretary-Treasurer, Lewis J. Campbell, 66 Merion Ave., Salinas
Meetings, third Wednesday of the month

North San Joaquin Valley V. M. A.

President, T. F. Hagan
Vice-President, Arthur J. Boero
Secretary-Treasurer, Robert Harris, P. O. Box 381, Turlock
Meetings, fourth Wednesday of the month

Northern California Association of Veterinarians

President, J. O. Stiner
Vice-President, R. N. Donnelly
Secretary, H. A. Snelbaker, P. O. Box 1252, Oroville
Meetings, second Tuesday of the month

Orange Belt V. M. A.

President, J. A. Bouton
Vice-President, H. H. Laskey
Secretary-Treasurer, R. E. Hoadley, Box 26, Coachella
Meetings, second Monday of the month

Orange County V. M. A.

President, N. D. Cash
Vice-President, Neil Halpin
Secretary-Treasurer, Donald E. Lind, 2643 N. Main, Santa Ana
Meetings, second Tuesday of even month

Peninsula V. M. A.

President, E. M. Cohan
Secretary-Treasurer, J. W. Gilmore, 2905 El Camino Real, San Mateo
Meetings, third Monday of the month

Redwood Empire V. M. A.

President, Dario Marioni
Vice-President, W. H. Armstrong
Secretary-Treasurer, J. H. Woolsey, 1918 Russell Ave., Santa Rosa
Meetings, third Thursday of the month

Sacramento Valley V. M. A.

President, T. J. Hage
Vice-President, K. G. McKay
Secretary-Treasurer, D. D. Hudson, 2647 Stockton Blvd., Sacramento
Meetings, second Wednesday of the month

San Diego County V. M. A.

President, S. M. Dingwall
Vice-President, L. O. Foelschow
Secretary-Treasurer, E. R. Quortrup, 4005 Rosecrans, San Diego
Meetings, fourth Tuesday of the month

San Fernando Valley V. M. A.

President, J. B. Crundwell
Vice-President, T. R. Moore
Secretary-Treasurer, R. L. Hawes, 10906 Burbank Blvd., North Hollywood
Meetings, second Friday of the month

San Francisco Veterinarians

President, N. T. Freid
Vice-President, E. S. Cooper
Secretary-Treasurer, Albert Chafets, 298 Monterey Blvd., San Francisco
Meetings, every other month

Santa Barbara-Ventura Counties V. M. A.

President, E. H. Houchins
Secretary-Treasurer, H. W. Mackey, 2715 Saviers Rd., Oxnard
Meetings, Thursday evening every 6th week

Southern California V. M. A.

President, M. H. Harvey
Vice-President, P. C. Olson
Secretary, Ross Hurt, 4500 Downey Rd., Los Angeles
Meetings, third Wednesday of the month

Radio Program KNBC

Henry Schacht, Conductor of "Farmer's Digest," will interview Dr. N. H. Casselberry in a series of broadcasts.

First, Monday, October 12th. Subject, leptospirosis, a disease of cattle and swine.

Second, Monday, October 19th, blue tongue disease in sheep.

The broadcast will be heard from 6:15 to 6:45 a.m.

What's New?

Your Association wants items that will make news. Tell us about new methods; developments; discoveries; new hospitals established; personal items which might interest others. Have you addressed a gathering recently? Tell us about it. Have you received a community citation, or honor? Give us the facts—we'll convert them into newspaper language. Let's make the Veterinarian better known throughout California.

Address:

CHAS. S. TRAVERS, Executive Secretary
3004 16th Street, San Francisco 3, Calif.

Department of Agriculture Promotions

Dr. C. K. Shane has been placed in charge of the Bureau of Livestock Disease Control activities in the district comprising Inyo, Mono, Riverside, Imperial, San Diego, and San Bernardino Counties. Dr. H. G. Wixom, formerly in charge of this district, has been promoted to Assistant Chief, Bureau of Livestock Disease Control, filling the vacancy created as a result of the promotion of Dr. H. P. Bonnikson to Chief.

Check from Bay Counties

Since the last issue we have received a check from the Bay Counties Veterinary Medical Association to cover the expense of coffee and doughnuts served to members and exhibitors at Long Beach. Many thanks.

Baby Girl

Congratulations to Dr. and Mrs. Richard Ainley of Santa Maria on the birth of a daughter, Margaret Diane, on September 19, 1952.

Dr. Rosenberger Retires

Dr. Arthur C. Rosenberger, nationally recognized sheep expert, retired from the California Department of Agriculture after 40 years of outstanding service and was feted in Modesto on August 26th. On behalf of Dr. Rosenberger's friends, several hundred of whom were present, Dr. A. G. Boyd presented him with a check with which to buy a new car. Dr. Rosenberger was the only remaining member of the Department's animal disease control staff who had served throughout our 23 years' fight to control sheep scabies. He was also in charge of Merced district activities against foot-and-mouth disease in 1924.

Women's Auxiliary Membership

No invitation is necessary to become a member of the Women's Auxiliary to the CSVMA. We welcome all interested women. The dues are only \$1.00 per year. Just write to: Mrs. J. C. O'Brien, Secretary - Treasurer, Sebastopol, California, P. O. Box 45.



CALPHOSAN®

CALPHOSAN®

Suspension:

30 cc single dose vial:
1\$1.95 per vial
1 doz.\$1.75 per vial
1 gr.\$1.50 per vial

240 cc multiple dose vial:
1 oral\$9.20 per vial
1 doz. oral...\$8.33 per vial



Painless subcutaneously and/or intramuscularly.

A specially processed solution of calcium glycerophosphate and calcium lactate, ionizable or diffusible, producing greater and longer-lasting rise in the blood serum calcium than any other calciums.

AVAILABLE IN TWO FORMS:

Clear Solution: Contains 1% of the ester and salt in normal saline with 0.25 phenol.

Opaque Suspension: Contains 10% of the ester and salt in normal saline with 0.25% phenol.

Dosage: Solution—Small animals, 5 to 10 cc according to weight. Large animals, 10 cc per 100 lbs. of body weight.

Dosage: Suspension—Small animals, 1 to 2 cc. Large animals, 30 cc per 1,000 lbs. body weight.

SUPPLIES ESSENTIAL CALCIUM EASILY



GOSHEN LABORATORIES, INC.

GOSHEN, NEW YORK

THE PRACTITIONER'S CHOICE

® Trade Mark of the
Carlton Corporation

Distributed to the veterinary profession
exclusively by Goshen Laboratories, Inc.

ATTENTION CALIFORNIA VETERINARIANS

A new Comprehensive Liability Insurance Policy is available to you. This Package Policy provides the following coverages:

1. On and away from Premises Liability (Both business and personal).
2. Malpractice Liability.
3. Animals in care, custody, and control.
4. Products Liability.
5. Contractual Liability
6. Non-Ownership Liability.

This coverage is written at competitive rates and in a domestic insurance company.

FOR BETTER SERVICE • COVERAGE • RATES

REVIEW YOUR INSURANCE PROTECTION NOW

CONTACT:

• FOR NORTHERN CALIFORNIA • FOR SOUTHERN CALIFORNIA

E. C. SMITH COMPANY

1404 Franklin Street, Oakland, California
TEmplehar 6-4546

D. W. MORRIS

158½ No. Market Street, Room 202, Inglewood, Calif.
ORegon 8-1482

OR

CHARLES S. TRAVERS, Executive Secretary

California State Veterinary Medical Association
3004 Sixteenth Street, San Francisco, California

YOUR PROFESSIONAL GROUP ACCIDENT AND SICKNESS INSURANCE POLICY

Approved and Recommended by the

CALIFORNIA STATE VETERINARY MEDICAL ASSOCIATION

Provides Maximum Protection at Minimum Cost with World-Wide Coverage

IT PAYS YOU . . .	\$200 per month for Accident	\$1,000 Accidental Death
	\$200 per month for Sickness	\$10,000 Dismemberment

And . . .

Hospital Residence Expense \$8.00 per day up to 70 days

Miscellaneous Hospital Expense up to \$100

Surgical Operation Expense \$7.50 to \$225

SEMI-ANNUAL PREMIUMS: Ages thru 49—\$45.75. Ages 50 thru 59—\$52.20. Ages 60 to 65—\$61.88

Supplementary to Your Group Policy and at Reduced Rates

You May Be Eligible for an Additional Franchise Group Policy on an Individual Basis Providing

\$100 per month for accident • \$100 per month for sickness • \$300 Accidental Death

POWER & DALZIEL

Russ Bldg.—Phone SUtter 1-4266—San Francisco 4

For further information and official application apply to

J. L. TOOLE, General Agent

NATIONAL CASUALTY COMPANY

605 Market Street—San Francisco 5
Phone EXbrook 2-2440

OR

CHARLES S. TRAVERS, Executive Secretary

CSVMA Office—3004 16th St.—San Francisco 3



the need of the young, the sick, the convalescent or the aged pet for palatable, balanced dietary supplementation is met by Petonic.

the need of the client for an economical, effective and easily administered vitamin-mineral-protein supplement and tonic is met by Petonic.

the need of the veterinarian for a dispensing item providing effective, balanced supplementation and appetite stimulation in a convenient and client-accepted form is met by Petonic.

Petonic has been shown to stimulate the appetite of animals that have not taken food for days. It may be given without the addition of flavors or disguises—in fact trials have shown that many pets accept Petonic enthusiastically from the floor or from the food dish. It may be mixed with the daily ration or sprinkled on top of the food.

Upjohn

DEPARTMENT OF VETERINARY MEDICINE

now...the need is met

Petonic

Trademark

another product of **Upjohn**
Research for the veterinarian

The complete formula for supplementing diets and
for tonic effect

Available in four-ounce bottles, each 3.5 Gm. dose (approximately 1 teaspoonful) of this dietary supplement and reconstructive tonic contains:

Animal Protein	1.0 Gm.
Brewer's Yeast	1.0 Gm.
Bone Meal	100.0 mg.
Dicalcium Phosphate	500.0 mg.
Ferrous Gluconate05 gr.
Wheat Germ Oil	1.0 min.
Lecithin	30.0 mg.
Cephalin	30.0 mg.
Inositol Phosphatides	30.0 mg.
Soy Bean Oil	1.0 min.
Choline50 mg.
Vitamin A	2000 U.S.P. units
Vitamin D	200 U.S.P. units
Thiamine Mononitrate	1.0 mg.
Riboflavin	1.0 mg.
Pyridoxine Hydrochloride01 mg.
Nicotinamide	15.0 mg.
Folic Acid01 mg.
Vitamin B ₁₂ Activity02 microgram

The Upjohn Company, Kalamazoo, Michigan



Terramycin

BRAND OF DEXTROTETRACYCLINE

veterinary

Veterinary Department

Pfizer

foot rot

The multiplicity of causes of foot rot, including poor sanitation, injury and infection, calls for a multiple therapy: sanitation, local cleansing and debridement, and the broad-spectrum action offered by Terramycin. Foot rot caused by Terramycin-sensitive organisms responds dramatically to systemic therapy with this well-tolerated, rapidly effective antibiotic.

CAPSULES

50 mg., 100 mg.,
250 mg.



INTRAMUSCULAR

100 mg., 1 Gm.,
5 Gm.



TABLETS (Scored)

1 Gm.



INTRAVENOUS

250 mg., 500 mg., 1 Gm.

2.5 Gm. (with Water for
Injection, U. S. P.)



Also available

OINTMENT (*Topical*)

OPHTHALMIC OINTMENT

OINTMENT FOR UDDER INFUSION

PFIZER LABORATORIES, Brooklyn 6, N. Y.
Division, Chas. Pfizer & Co., Inc.



SURITAL[®] SODIUM

THIAMYLAL SODIUM



**A SUPERIOR ULTRA-SHORT-ACTING
INTRAVENOUS ANESTHETIC**

EXPERIENCE OF SURITAL IN ANIMALS HAS
SHOWN THAT INDUCTION OF SURITAL SODIUM
IS SMOOTH AND RAPID, AND IS FREE OF
EXCITEMENT OR IRRITABILITY AND
UNDESIREABLE SIDE REACTIONS.




PROFESSIONAL LITERATURE AVAILABLE ON REQUEST

PARKE, DAVIS & COMPANY
DETROIT 32, MICHIGAN

A TWO-WAY VACCINE

and sold only to Veterinarians


- 
1. May Be Used With Serum
 2. May Be Used Without Serum

Does not spread cholera.

Cannot introduce other hog diseases.

Confers solid immunity with or without the use of serum.

Immunity lasts at least two years.



SWIVAX
HOG - CHOLERA VACCINE

*Thoroughly tested
in the field.*

MODIFIED LIVE VIRUS • RABBIT ORIGIN • VACUUM DRIED

In 5 dose—25 dose and 50 dose packages
Licensed under U.S. Patent 2518978

PITMAN-MOORE COMPANY

Division of
ALLIED LABORATORIES, INC.



Within this organization originated the policy of Sales to Graduate Veterinarians Only

TRADE MARK

With

ROVAC[®]

HOG CHOLERA VACCINE*

(Modified Live Virus)
Rabbit Origin—
Vacuum-Dried



YOU VACCINATE IN LESS TIME—WITH LESS TROUBLE—AT LESS COST

Does Not Require Serum

Establishes Solid Immunity

Protects For At Least Two Years

Does Not Spread Hog Cholera

Cannot Introduce Swine Diseases

Widely Tested And Accepted

- ROVAC is a truly modified virus not capable of producing disease, and therefore, is completely safe to use without serum in healthy pigs. There is no reason today to use virulent hog cholera virus in the field.
- For immediate protection, however, if swine have been exposed to hog cholera just before, at the time of, or immediately after, vaccination, 15 cc. or more of Anti-Hog Cholera Serum *Lederle* should be administered simultaneously with ROVAC. This will not affect the immunity induced by ROVAC.

ROVAC—the vaccine that contains virus more than 300 serial passages removed from lethal hog cholera virus.

PACKAGES

5 doses—1 vial Vaccine; 1 vial Diluent, 10 cc.
10 doses—1 vial Vaccine; 1 vial Diluent, 20 cc.
25 doses—1 vial Vaccine; 1 vial Diluent, 50 cc.
50 doses—1 vial Vaccine; 1 vial Diluent, 100 cc.


*U. S. Pat. No. 2,518,978.

LEDERLE LABORATORIES DIVISION

AMERICAN Cyanamid COMPANY

30 Rockefeller Plaza, New York 20, N. Y.

original



C.G.P. REINFORCED

An intravenous solution

*containing therapeutic amounts of
calcium, phosphorus, dextrose and magnesium*

Think of C.G.P. Reinforced for treating symptoms of parturient paresis, acetonemia, grass tetany and particularly in the troublesome cases when the causative deficiency factor is obscure or indefinite.

C.G.P. Reinforced has proved through years of field use to be the safest, most dependable combined mineral and carbohydrate therapy offered the veterinary profession.



HAVER-GLOVER LABORATORIES

Kansas City, Missouri

Sharpe & Co., 460 N. Robertson Blvd., Los Angeles • Central City Chemical, 617 Howard St., San Francisco

EQUINE ENCEPHALOMYELITIS



The disastrous outbreak of encephalomyelitis in humans and in horses in the western states in 1952, and the westward extension of the eastern type encephalomyelitis virus, exemplify the seriousness and hazards of the disease.

The decline in horse population has not placed all the responsibility for control of this disease in the hands of the Public Health Service. We as veterinarians have the only effective and practical means of preventing encephalomyelitis in horses at our disposal. Protected horses may break the chain of sequence of the disease.

Annual vaccination of all horses before an outbreak occurs is the practical and effective means of combating encephalomyelitis.

Lockhart is prepared—as always before—with adequate stocks of vaccines of eastern, western and bivalent types, in single and multiple dose packages, to fit any need of the discriminating veterinarian.

ASHE LOCKHART, INC.

*"Producers of Better Biologics
for Graduate Veterinarians."*

800 Woodswether Road


Kansas City, Missouri

guaranteed by California State
Veterinary Medical Assn., 3004
16th Street, San Francisco 3,
California. If forwarded to a
new address notify sender on
Form 3547. Postage for notice
guaranteed.

Sec. 34.66, P.L. & R.
U. S. POSTAGE

PAID

SAN FRANCISCO, CALIF.
PERMIT No. 1772



TRI-INSTILIN is a new Jen-Sal formula based on current therapeutic trends of high antibiotic dosage, broad spectrum coverage, and long therapeutic udder levels for problem mastitis cases.

- 1) TRI-INSTILIN's 3 antibiotics give extra broad bacterial coverage.
- 2) TRI-INSTILIN's procaine penicillin G content is increased to **500,000 units**.
- 3) TRI-INSTILIN's peanut oil base with aluminum monostearate gives prolonged antibiotic udder levels.

An exclusive Jen-Sal formula, TRI-INSTILIN is available only to veterinarians. Each 7.5 cc. tube contains 500,000 units procaine penicillin G, 50 mg. neomycin sulfate, and 2500 units bacitracin, with 3% w/v aluminum monostearate.

Your Jen-Sal branch or distributor can supply you with TRI-INSTILIN now.

JENSEN-SALSBERY LABORATORIES, INC.
Kansas City 41, Missouri

NEW TRI-INSTILIN (Jen-Sal) most potent mastitis infusion developed!

500,000 units procaine
penicillin G

50 mg. neomycin
sulfate

2500 units bacitracin
in peanut oil, aluminum
monostearate base
all in one 7.5 cc. tube!



R.
GE

CALIF.
772